



Ph: 07 3881 3464 Email: sales@asproducts.com.au



**WEAR RESISTANT PARTS FOR
AGRICULTURAL
VEGETATION
& GRASS CARE
INDUSTRIES**

www.asproducts.com.au

2021

SIMPLE TO ORDER
PHONE 07 3881 3464
EMAIL sales@asproducts.com.au

Feel free to discuss your requirements with our sales team on the above numbers or via email
sales@asproducts.com.au



PAYMENT OPTIONS:

We provide most payment options including:
Mastercard, Visa, EFT, cheque & 30 day trading accounts for approved repeat customers.

NATIONAL DISTRIBUTION

Rapid dispatch & competitive freight rates Australia wide. Ask us for the best freight options for your requirements.



SERVICE YOU CAN COUNT ON NO MATTER WHERE YOU ARE IN AUSTRALIA!
Fast, efficient dispatch. Experienced, friendly and service oriented sales team.

ASP ACCOUNT HOLDERS - WEBSITE ORDERS

Please email accounts@asproducts.com.au or call **07 3881 3464** to request your secure website account login details. Place orders, check current pricing & stock, review previous orders etc.

www.asproducts.com.au

ASP has the sole Australian distributorship rights for two of Europe's leading specialist wear resistant parts manufacturers.

Our suppliers utilize world class manufacturing techniques and source the finest raw materials to ensure you get maximum wear life and value for money!





CONTENTS

Ripper Points, Tines, Shanks, Clamps etc	Pages 4 - 9
Rotary Hoe & Power Harrow Blades	Pages 10 - 13
Speed Tiller Disc's	Pages 13
Disc's & Coulters	Pages 14 - 16
Slasher Blades	Pages 17 - 29
Mulcher Flails & Hammers	Pages 30 - 42
Push Mower & Finishing Mower Blades	Pages 43 - 46
Turf Cutter / Harvester Blades	Page 47
Ride On Mower Blades	Pages 48 - 70
Edger Blades	Page 71
Trimmer Line & Trimmer Heads	Pages 72 - 76
Litter Pickup Tools	Page 77
Stump Grinder & Fixed Mulcher Teeth	Page 78

QUALITY PARTS, AFFORDABLE PRICES!

Ripper Points & Sweeps

Reversible Point - Coil Tine

- AS-01317** 40mm x 12mm x 300mm (31SL-1)
AS-01319 50mm x 16mm x 310mm (31SL-3)
AS-01320 65mm x 16mm x 310mm (31SL-4)

7/16 Bolt holes at 51mm centres

ASP-09024 Bolt & Nut

NEW 65 x 16mm



Reversible Point - Suit Rear Mount Coil Tines

- AS-800006** 40mm x 16mm x 270mm

14mm Bolt holes at 45mm centres

ASP-09023 Bolt & Nut



Reversible Point

- AS-01329** 65mm x 13mm x 380mm

1/2" Bolt holes at 57mm centres


ASP-09023 Bolt & Nut



Universal Ripper Point

- AS-01349** 62.5mm x 20mm x 300mm
 4 x 1/2" Bolt holes / slots to suit between

51mm to 112mm centres - **ASP-09023** Bolt & Nut



Feed Down Point

- AS-01335** Short style (314H) 43cm long
AS-01336 Long style (315H) 58cm long

2" wide x 1/2" thick Point to suit
 Yeoman, Napier etc

AS-09247 Clamp & Screw



North American Chisel Plough Point -

- AS-01322** 50mm x 16mm x 400mm
 1/2" Bolt holes at 42.5 - 67.5mm centres
ASP-09023 Bolt & Nut



Sweeps - suit Coil Tines

- AS-5305** 5 Inch x 6mm
AS-5306 6 Inch x 6mm
AS-5308 8 Inch x 6mm
AS-53010 10 Inch x 6mm
AS-53012 12 Inch x 6mm



TUNGSTEN HARD FACED SWEEPS

Use **ASP-09024** Bolt & Nut

Scarifier & Harvester Point

- AS-05230** 180mm x 45mm wide
AS-05230H **TUNGSTEN HARD FACED**
 Knock on cast point
 OEM Ref 6Y5230 & 2D5572



Alabama Sweeps

- ASP-58118-8** 18"
ASP-58120-8 20"
ASP-58122-8 22"
ASP-58124-8 24"

NEW



Spanish BORON 8mm Thick
 Sweeps, 2 x 1/2" Bolt Holes suit Friction Trip etc

Cast Aerator "Shattertine"

- CI-08862** Left Hand
CI-08863 Right Hand
CI-08862H **NEW HARD FACED L/H**
CI-08863H **NEW HARD FACED R/H**

(14mm holes @ 46mm centres)
 Same design as the AerWay Shattertine.
 To fit Berends Growmaster, Agrifarm
 Agrivator, Leda Rabbit & Farmtech etc



Coil Tines & S Tines

Coil Tine - Vertical

AR-01488 25mm Sq Left Hand
AR-01489 25mm Sq Right Hand

AR-01476 32mm Sq Left Hand
AR-01477 32mm Sq Right Hand

Use AS-01317 / 19 / 20 Points or AS-53 Sweeps

'A' Dimension:
 25mm Tines are 780mm
 32mm Tines are 930mm

LEFT HAND




Coil Tine - Front

AR-01480 25mm Sq Left Hand
AR-01481 25mm Sq Right Hand

AR-01468 32mm Sq Left Hand
AR-01469 32mm Sq Right Hand

Use AS-01317 / 19 / 20 Points or AS-53 Sweeps


'A' Dimension:
 25mm Tines are 580mm
 32mm Tines are 680mm



Coil Tine - Rear 25mm

AR-Q25SVVDX L/Hand
AR-Q25SVVSX R/Hand


Use **AS-800006** Rev. Point
 270mm x 40mm x 16mm
 (Use ASP-09023 Bolt)



Coil Tine - Rear 30mm


AR-Q30SVVDX L/Hand
AR-Q30SVVSX R/Hand

Use **AS-800006** Rev. Point
 270mm x 40mm x 16mm
 (Use ASP-09023 Bolt)



H/Duty S Tine - 75mm x 12mm

AR-F70SVV S Tine
AR-AF7012/60 Clamp 60mm Bar
AR-AF7012/65 Clamp 65mm Bar





Clamp



Points to suit 75mm x 12mm S Tine


AR-550299 Reversible Point
AR-550301 180mm Sweep
AR-550308 Bolt & Nut



S Tines, Tines & Shanks

S Tine 45mm x 12mm

AR-F45SVV S Tine



NEW

Points & Sweeps to suit 45mm x 12mm S Tines

NEW

- AR-550027 4" Sweep
- AR-550028 6" Sweep
- AR-550067 Reversible Point 255 x 60 x 6mm
- AR-AF4512/50 Clamp 50mm Bar
- AR-AF4512/65 Clamp 65mm Bar
- AR-VF4512 Bolt & Nut



S Tine 32mm x 12mm

AR-F12SVV S Tine



NEW

Points & Sweeps to suit 32mm x 12mm S Tines

NEW

- AR-550027 4" Sweep
- AR-550028 6" Sweep
- AR-550034 Reversible Point 40 x 6mm
- AR-550102 Reversible Point 40 x 8mm
- AR-3212/16 Clamp 50mm x 16mm Bar
- AR-3212/50 Clamp 50mm x 50mm Bar
- AR-VF4512 Bolt & Nut M10 x 45mm



Rigid Tine

AR-01107 32mm Square x 785mm

2 x 7/16" Bolt holes at 46 to 53mm centres

Use AS-01317, AS-01319 or AS-01320 Points & AS-53.. Sweeps



Cultivator Shank

AR-01512 50mm x 25mm x 530mm

Use AS-01329 Point

Suits Yeoman, Berends, Waratah & Jarrett style cultivators.



3 x 1" Shanks

AR-01537 75 x 25 x 785mm

Bull nose leading edge for better trash flow. Heat Treated. Suits Friction Trip assemblies.



Beet Knife Tine

AR-01536 32mm Square

Beet Knife Tine, 32mm square x 740mm long with 3 x 3/8" holes at 32mm - 57mm centres




Weeder Rake & Cultivator Tines

Multi Weeder Rake Tine 16mm

AR-01383 Left Hand
AR-01384 Right Hand

692mm Height,
325mm length,
14.3mm Eye

NEW



Multi Weeder Rake Tine 19mm

AR-01385 Left Hand
AR-01386 Right Hand

692mm Height, 325mm length, 14.3mm Eye

NEW




Cultivator Rake Tine with Ferrule - 19mm

NEW

AR-01396 Height 686mm,
Length 816mm

AR-01400 Height 686mm,
Length 435mm



Tracking Rake Tine

AR-01448 Tine 16mm, 692mm Height &
365mm Length

NEW



Baselier Bed Former Blade

AR-09213 335mm long x 40mm x 10mm thick

Baselier Inter-Row Blade

AR-09216 230mm long x 40mm x 10mm thick

Approx 90mm long **TUNGSTEN WELD**
2 x 12mm holes at 80mm centres

NEW



Struik Inter-Row Blade

AR-09217 210mm long x 40mm x 10mm thick

2 x 12mm holes at 60mm centres
Approx 90mm long **TUNGSTEN WELD**

NEW



Furrower - R28

AS-09244 450mm Long x 460mm Wide
x 6mm thick

NEW



Crescent Knives

AR-05459 & AR-05460 LH & RH

11mm Hole & 11mm X 34mm Slot Hole
@ 42mm centres.
Length A = 290mm,
Length B = 150mm
50mm Wide x 10mm Thick



Ripper Legs, Points & U Bolts

Ripper Point suit Yeoman

TUNGSTEN HARD FACED - with Tile

ACAG-08742

Standard Hard Faced with tile



Ripper Point suit Yeoman

H/Duty TUNGSTEN HARD FACED

ACAG-08742H

H/Duty Hard Faced



ASP Ripper Point

ACAG-003 Point



ASP Ripper Point

TUNGSTEN HARD FACED

NEW

ACAG-003HF



ASP Ripper Legs

ACAG-024 24" Complete Assembly

ACAG-031 30" Complete Assembly

ACAG-001 24" Leg / Shank only



ASP Ripper Leg Parts

ACAG-015 Shin Guard

ACAG-014 Shear Pin

ACAG-EN761 Pin Clip



Ripper Point & Guard - Gessner

TUNGSTEN HARD FACED

ACAG-09160H Gessner style Point

ACAG-09161H Gessner style Shin Guard

(Use ACAG-014 Pin & ACAG-EN761 Clips)



U & V Bolts

AR-07328 U Bolt 4 x 4 x 3/4"

AR-315031K U Bolt 7 x 7 x 3/4"

AR-315032K U Bolt 7 x 7 x 7/8"

AR-315033K U Bolt 6 x 4 x 3/4"

AR-315034K U Bolt 6 x 6 x 3/4"

ASP-101-350 V Bolt 100x100x22mm

ASP U Bolts are grade 8.8 high tensile. Supplied complete with nuts and spring washers.



Clamps & Wedges, Rotary Hoe Blades

Clamps & Wedges - 2" Toolbar

AR-04279 1" Tine to 2" Toolbar
AR-04285 Wedge to suit AR-04279

AR-04277 1 1/4" Tine to 2" Toolbar
AR-04283 Wedge to suit AR-04277

AR-04278 **Spreader Clamp**
AR-04283 Wedge to suit AR-04278



Clamps & Wedges - 2 1/2" Bar

AR-04273 1 1/4" Tine to 2 1/2" Toolbar
AR-04283 Wedge to suit AR-04273

AR-04274 **Spreader Clamp**
AR-04283 Wedge to suit AR-04274



Clamps & Wedges - 3 1/2" Bar

AR-01496 1 1/4" Tine to 3 1/2" Toolbar
AR-04346 Wedge to suit AR-01496

AR-01495 **Spreader Clamp**
AR-04346 Wedge to suit AR-01495



Clamps & Wedges - 4" Toolbar

AR-03896 1 1/4" Tine to 4" Toolbar
AR-04346 Wedge to suit AR-03896

AR-06964 **Spreader Clamp**
AR-04346 Wedge to suit AR-06964



NEW DURA-TUNG RANGE FROM ASP!

THE DURABLE TUNGSTEN RANGE FROM ASP USES AN ULTRA TOUGH TUNGSTEN COATING FOR MAXIMUM WEAR RESISTANCE WHILST STILL MAINTAINING A SHARP CUTTING EDGE! DESIGNED EXCLUSIVELY FOR THE AGRICULTURAL INDUSTRY. AVAILABLE ON A SELECT RANGE OF ASP HOE BLADES.



Thin coating of fine grit TUNGSTEN hard facing along the cutting edge and bottom of the blade enables maximum wear resistance without reducing the cutting ability of the blade.

NEW

ASP Hoe Blades are sold as pairs (1 left hand & 1 right hand). They are shipped in sturdy boxes, generally 20 blades per box.

ASP Rotary Hoes blades are manufactured in Italy from Boron Steel. OEM numbers are for reference only.

A



SPEED BLADE

ASP Rotary Hoe and Power Harrow blades are the hardest, longest lasting blades sold in Australia. They are super hardened to 50Rc where others often are softer. We can do this because our blades are made from European Boron steel which enables them to be made harder without the risk of them becoming brittle. As well, ASP blades undergo a special heat treatment process that produces different characteristics in the steel where really needed, extra hardness at the blade edge and extra elasticity at the bolt holes.



eurozappa



POWER BLADE

Rotary Hoe Blades

Some Breviglieri Hoes use Celli or Maschio blades. Please check blade sizes!

CELLI	Application	OEM Ref	Type	Size A	Size B	Hole	Centres	Section	Bolt Kit
RH-08386 RH-08387	'A' SERIES	522514 522515	POWER 153011	185mm	135mm	12.5mm	50mm	70x6mm	
RH-08116 RH-08117	E, HV, H, F, G, K, PIONEER, TIGER & ERGON	722533 / 34 422512 / 13 B6225/6	POWER 153016	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419
RH-08924 RH-08925	H/DUTY ALTERNATIVE TO RH-08116 / 7	722547 722548	POWER 153064	180mm	135mm	14.5mm	57mm	80x10mm	RHA-08419L
RH-08243 RH-08244	E, HV, H, F, G, K, PIONEER, TIGER & ERGON	722537 / 38 422514 / 15	SPEED 153015	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419
RH-08388 RH-08389	AG SERIES	531511 531512	SPEED 153025	164mm	110mm	12.5mm	40mm	60x6mm	RHA-08119
RH-08390 RH-08391	CE SERIES	331528 331529	SPEED 153028	190mm	130mm	14.5mm	50mm	70x7mm	RHA-08419
RH-08392 RH-08393	CE SERIES	331526 331527	SPEED 153027	195mm	136mm	14.5mm	50mm	70x7mm	RHA-08419
RH-08986 RH-08987	LONG SHANK ALTERNATIVE TO RH-08116 / 7	B6229 / 30	POWER 153055	207mm	135mm	14.5mm	57mm	80x10mm	RHA-08419L
RH-09177 RH-09178	SUPER TIGER	722560 722561	POWER 153060A	180mm	135mm	16.5mm	57mm	80x10mm	RHA-08118
RH-09223 RH-09224 ** NEW **	LONG SHANK SUPER TIGER		POWER 153055A	207mm	135mm	16.5mm	57mm	80x10mm	RHA-08118
HOWARD									
RH-08105 RH-08106	R500,HR30,35,E , AR,ST	63604 63605 B4001 / 2	POWER 225026	173mm	142mm	1/2"	57mm	90x8mm	RHA-08119
RH-08007 RH-08008	AH,CH,RC,R600 HR40-43,AH. HR50-61S ROTOR	9862 / 9863 B7001 / 2	POWER 225025	175mm	140mm	5/8"	51mm	90x8mm	RHA-08118
RH-08007-10 RH-08008-10 ** NEW **	AH,CH,RC,R600 HR40-43,AH. HR50-61S ROTOR	9862 / 9863 B7001/2	POWER 225084DX	175mm	140mm	5/8"	51mm	90x10mm	RHA-08118
RH-08110 RH-08111	AH,CH,RC,R600 HR40-43,AH. HR50-61S ROTOR	9950 / 9951 B9001 / 2	SPEED 225072	210mm	145mm	5/8"	51mm	90x8mm	RHA-08118
RH-08112 RH-08113	LONG SHANK	9910 / 9911 B9003 / 4	POWER 225024	210mm	137mm	5/8"	51mm	90x8mm	RHA-08118
RH-08782 RH-08783	H/DUTY HR50, 60,61 F ROTOR	762719 762720	POWER 237004	193mm	135mm	16.5mm	76mm	105x8mm	RHA-08118

Rotary Hoe Blades


FORIGO	Application	OEM Ref	Type	Size A	Size B	Hole	Centres	Section	Bolt Kit
RH-09035 RH-09036	G35 STONE BURIER	G3596100 / 110		A 160mm	B 113mm	14.5mm	48mm	90X8mm	
RH-09037 RH-09038	G45 STONE BURIER	G4595000 / 5100		A 177mm	B 135mm	14.5mm	56mm	100X8mm	
KRONE & KUHN									
RH-08782 RH-08783	E, EL KUHN RF KRONE Am400 AGRATOR	523591 523590	POWER 237004	193mm	135mm	16.5mm	75mm	105x8mm	RHA-08118
RH-09146 RH-09147	E, EL KUHN RF KRONE Am400 AGRATOR		SPEED 225046	210mm	140mm	16.5mm	75mm	105x8mm	RHA-08118
MASCHIO	NOTE: SOME MASCHIO BLADES WILL ALSO SUIT BREVIGLIERI & VALENTINI HOES, PLEASE CHECK DIMENSIONS FOR CORRECT BLADES								
RH-08394 RH-08395	B, BI, C & SC SERIES (TERANOVA)	0110427 0110426	SPEED 255013	215mm	140mm	14.5mm	56mm	80x8mm	RHA-08419
RH-08396 RH-08397	B, BI, C & SC SERIES (TERANOVA)	0110429 0110428	POWER 255012	215mm	140mm	14.5mm	56mm	80x8mm	RHA-08419
RH-08398 RH-08399	G SERIES	20100413 20100412	SPEED 255025	257mm	142mm	16.5mm	68mm	90x10mm	RHA-08420
RH-08400 RH-08401	G SERIES	20100415 20100414	POWER 255026	257mm	142mm	16.5mm	68mm	90x10mm	RHA-08420
RH-08404 RH-08405	S SERIES	255028	POWER 255028	225mm	145mm	16.5mm	56mm	90x8mm	RHA-08420
RH-09153 RH-09154	PANTERA	09400419 09400418	POWER 255107	215mm	135mm	16.5mm	56mm	90x10mm	RHA-08420
SICMA	(ALSO FALC)								
RH-08116 RH-08117	SPR	S4814516/17	POWER 153016	180mm	135mm	14.5mm	57mm	80x8mm	RHA-08419
RH-08243 RH-08244	SPR	S4814518 S4814519	SPEED 153015	195mm	135mm	14.5mm	57mm	80x8mm	RHA-08419

Power Harrow Blades

ASP Rotary Hoe and Power Harrow blades are the hardest, longest lasting blades sold in Australia. They are super hardened to 50Rc where others often are softer. We can do this because our blades are made from European Boron steel which enables them to be made harder without the risk of them becoming brittle. As well, ASP blades undergo a special heat treatment process that produces different characteristics in the steel where really needed, extra hardness at the blade edge and extra elasticity at the bolt holes.


PH-08786 & PH-08787

Suits **CELLI**
KR & Maxi
OEM Ref
622603
622604




PH-08796 & PH-08797

Suits **KUHN & EMY**
HR & HRB
OEM Ref
525604
525605




PH-08798 & PH-08799

Suits **KUHN & EMY**
HR & HRB
OEM Ref
52539400A
52539500A




PH-08800 & PH-08801

Suits **CELLI** (ER, LASER, RANGER, GO ETC)
HOWARD (FALC & FOX)
MASCHIO & SICMA
ETC




PH-08802 & PH-08803

Suits **MASCHIO**
DC, DS, DL
OEM Ref
35938
100222 / 3




PH-08930 & PH-08931

Suits **AMAZONE**
OEM Ref 962337
862338



PH-09221 & PH-09222

Suits **LELY - CLUB TINE**
OEM Ref 116990111 / 112




Power Harrow Blades

PH-09225 & PH-09226

Suits KUHN
OEM Ref 52596410
/ 52596510


NEW




PH-09227 & PH-09228

Suits KUHN
OEM Ref K2500090
/100

NEW



PHA-08804



ASP SPEED TILLER DISC'S

NEW

AMAZONE CERTOS

ASP-09229BB 26" x 6mm Flat Back, 4 x 13mm Holes @ 170PCD, 59mm Dish

K-LINE

ASP-1120 22" x 5mm 70mm Round Centre, 4 x 18mm @ 137mm PCD

ASP-99 24" x 6mm 70mm Round Centre, 4 x 18mm @ 137mm PCD

ASP-08858 26" x 6mm 70mm Round Centre, 4 x 18mm @ 137mm PCD

ASP-09000 28" x 6mm 70mm Round Centre, 4 x 18mm @ 137mm PCD

LELY

ASP-09029 22" x 5mm 62mm Round/key, 5 x 14.5mm @113mm PCD

POTTINGER

ASP-09138 22" x 5mm Flat Back, 4 x 12.5mm Holes @ 110mm PCD, 56mm Dish

ASP COULTERS

BORON BLUE stool splitter fertiliser box, seeder
& root cutter coulters to suit various makes &
models including: Gessner, Hodge, Bonel, Holden
hub, TTQ etc



Call ASP for competitive pricing 07 3881 3464

Agricultural Discs

ASP Disc's are among the finest, longest wearing BORON disc's manufactured in the world.

All ASP disc's & Coulters come with a warranty, guaranteeing the user maximum working life from their disc's at competitive prices.

Don't settle for high carbon steel disc's...

INSIST ON ASP SPANISH BORON STEEL!



Reference Chart - Machine Make

AITCH	AITCHISON	D	DUNCAN	HU	HUTCHMASTER	MIL	MILLER
ALFM	ALFARM	DB	DAVID BROWN	IH	INT. HARVESTER	MSW	MOURILYN
BNL	BONEL	E	ENNOR ENG	JA	JARRETT	NG	NAPIER
BH	BUSH HOG	ES	EASY-FIX	JB	JOHN BERENDS	SH	SHEARER
BR	BIG RIG	EZ	EZEE-ON	JD	JOHN DEERE	SOV	SOVEREIGN
BT	BETTINSON	GZY	GRIZZLY	JK	JANKE	STG	STEIGER
CH	CHAMBERLAIN	GR	GIBBONS	KEL	KELLOW	TW	TAYLORWAY
CL	CLOUGH	GN	GESSNER	KRS	KRAUSE	TNR	TOWNER
CA	CASE	HE	HODGE	MA	MANNUM AG	W	WILLETT
CS	CONNOR SHEA	HB	H-BAGSHAW	MF	MASSEY FERG	WK	WALKER
CW	COUNTRY WIDE	HT	HOLDEN HT	MH	MURRAY	Y	YEOMAN

PART NUMBER	THICK	CONCAVE	CENTER HOLE	CENTER HOLE SIZE MM	RADIAL HOLES	PCD	DESCRIPTION	AGPOINT PART NO	GWT/ McCOY PART NO	KG
-------------	-------	---------	-------------	---------------------	--------------	-----	-------------	-----------------	--------------------	----

SCALLOP & FLUTED DISC'S

BoronBlue™

SCALLOP DISCS

18"										
ASP-6C	5 MM	56 MM	DUAL SQUARE	30 MM & 33 MM			NG, JA, BNL	184-092SD	1815-S-8	6
20"										
ASP-12C	4 MM	64 MM	DUAL SQUARE	27 MM & 30 MM			SH,JA,BNL,NG,GR	204-102SD	2015-S-2	6
ASP-13C	4 MM FLAT BACK	45 MM	DUAL SQUARE	27 MM & 30 MM			IH, MF, MH			6
22"										
ASP-34C	4 MM	60 MM	DUAL SQUARE	27 MM & 30 MM			JA, DB			8
ASP-1120	5 MM	63 MM	ROUND	70 MM	4 X 18 MM	137 MM	k-LINE SPEED TILLER & GZY GRUMPY	225-35B	22044	10
ASP-41C	5 MM	64 MM	DUAL SQUARE	30 MM & 33 MM			NG340, HDGE, BNL, JB			10
ASP-43	5 MM	70 MM	ROUND	70 MM	6 X 18 MM	113 MM	CS, BABY GIANT	225-1715B	2218-SB-1	10
ASP-42C	5 MM FLAT BACK	54 MM	DUAL SQUARE	27 MM & 30 MM			IH 3-4, MF, MH	225-95FD	2218-SF-1/9	10
ASP-09029	5 MM	60 MM	ROUND - KEY	62 MM	5 X 14.5 MM	113 MM	LELY TULIP			10
ASP-09138	5 MM FLAT BACK	56 MM			4 X 12.5 MM	110 MM	POTTINGER			10
24"										
ASP-92C	5 MM	76 MM	DUAL SQUARE	30 MM & 33 MM			SH 500, NG 690, HDGE	245-226S	2418-S-15	11
ASP-100C	6 MM	76 MM	DUAL SQUARE	30 MM & 33 MM			SH, HDGE, BNL, NG, JD, BH	246-43SD	2425-S-37/40	13
ASP-100C-F	6 MM FLUTED	95 MM	DUAL SQUARE	30 MM & 33 MM			SH, HDGE, BNL, NG, JD, BH			13
ASP-101C	6 MM	76 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG, IH, JA, SH, GR670	246-38SD	2425-S-8/38	13
ASP-101C-F	6 MM FLUTED	76 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG, IH, JA, SH, GR670			13
ASP-103	6 MM	84 MM	ROUND	70 MM	6 X 18 MM	113 MM	CS BABY GIANT, CS710, 760, 780	246-15B	2425-SB-1	13
ASP-99	6 MM	73 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINE & GRIZZLY GRUMPY	246-35B	2425-SB-3	13

Agricultural Discs

PART NUMBER	THICK	CONCAVE	CENTER HOLE	CENTER HOLE SIZE MM	RADIAL HOLES	PCD	DESCRIPTION	AGPOINT PART NO	GWT/ McCOY PART NO	KG
SCALLOP DISCS										
SCALLOP & FLUTED DISC'S										
26"										
ASP-133	6 MM	57 MM	ROUND	25.4 MM	4 X 18 MM	228 MM	MSW			16
ASP-138	6 MM	67 MM	ROUND	135 MM	4 X SQ 13.5 MM	228 MM	BNL TRASH INCORP	266-138S		16
ASP-139	6 MM	89 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	266-26SB	2625-SB-26	16
ASP-1322	6 MM FLAT BACK	81 MM	DUAL SQUARE	39 MM			IH, 770, 590, 501	266-15F	26161	16
ASP-140	6 MM	91 MM	ROUND	78 MM	6 X 22 MM	190 MM	CS LITTLE GIANT, CS780, E,BNL	266-15B	2625-SB-1	16
ASP-141C	6 MM	81 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG670, 710-740, JA	266-49SD	2625-S-14/35	16
ASP-142C	6 MM	67 MM	DUAL SQUARE	39 MM & 41 MM			NG,JA, TW	266-55D	2625-S-5/39	16
ASP-143C	6 MM	91 MM	DUAL SQUARE	54 MM & 60 MM			SH 700, IH3-5	266-16SD	26143C	16
ASP-143C -F	6 MM	91 MM	DUAL SQUARE	54 MM & 60 MM			SH 700, IH3-5		26143CW	16
ASP-160C	6 MM	91 MM	DUAL SQUARE	30 MM & 33 MM			JD, HDGE, BNL, BH	266-9SD	26160C	16
ASP-160SH	6 MM	60 MM	DUAL SQUARE	30 MM & 33 MM			JD, HDGE, BNL, BH			16
ASP-08858	6 MM	83 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINE SPEED TILLER & GRUMPY			16
ASP-151	8 MM	89 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	268-25B	2631-SB-2	20
ASP-152	8 MM	95 MM	ROUND	52 MM			STG, EZ, CW	268-7S	2631-S-3	20
ASP-153	8 MM	100 MM	ROUND	78 MM	6 X 22 MM	190 MM	CS 780, CS LITTLE GIANT, BNL, E	268-15B	2631-SB-1	20
ASP-154C	8 MM	81 MM	DUAL SQUARE	39 MM & 41 MM			HDGE,BNL,NG, ALLIS,JA	268-49SD		20
ASP-155	8 MM	91 MM	ROUND	58 MM			KELLOW	268-155S	2631-S57	20
ASP-1263	8 MM FLAT BACK	81 MM	DUAL SQUARE	39 MM			IH, 770, 590, 501			20
28"										
ASP-09000	6 MM	81 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINE SPEED TILLER			19
ASP-1178	6 MM	102 MM	DUAL SQUARE	54 MM & 60 MM			IH 3-5, SH700	286-1021S	28185C	19
ASP-166C	6 MM	69 MM	DUAL SQUARE	39 MM & 41 MM			CN, SH, NG, BNL, HE, JA	286-29SD		19
ASP-167C	6 MM	102 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG670, JA, SH	286-606SD	2825-S-95	19
ASP-167C-F	6 MM FLUTED	102 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG670, JA, SH			
ASP-168-S	6 MM	102 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	286-85B	2825-SB-8	19
ASP-170	6 MM	102 MM	ROUND	78 MM	6 X 22 MM	190 MM	E, BNL, CS, LITTLE GIANT	286-1013S		19
ASP-168	8 MM	102 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	288-15B	28169S	24
ASP-171	8 MM	102 MM	ROUND	78 MM	6 X 22 MM	190 MM	E, BNL, CS, LITTLE GIANT	288-1086SB	2831-SB2	24
ASP-175C	8 MM	102 MM	DUAL SQUARE	39 MM & 41 MM			CS, HDGE, BNL, MSW	288-1073S		24
ASP-175C-F	8 MM FLUTED	102 MM	DUAL SQUARE	39 MM & 41 MM			CS, HDGE, BNL, MSW			
ASP-178	8 MM	102 MM	ROUND	52 MM			CW	288-17S		24
ASP-08981	8 MM	102 MM	ROUND	44 MM			DELMAD, TATU & BALDAN			24
ASP-179	8 MM FLAT BACK	102 MM	SQUARE	40 MM			IH 770	288-15F	2831-SF-1	24
30"										
ASP-08812	8 MM	94 MM	ROUND	52 MM			CW			28
32"										
ASP-190	8 MM FLAT BACK	100 MM	SQUARE	46 MM			IH 780	328-15F	3231-SF-1	33
ASP-193-C	10 MM	112 MM	SQUARE	59 MM			ALFARM 080, TNR620	3210-10SD	3237-S-10	40

PLAIN DISC

PLAIN DISC'S

14"										
ASP-3C	5 MM	30 MM	ROUND	26 MM	6 X 7 MM SQ	110 MM	PIONEER			4
28"										
ASP-08561	8 MM FLAT BACK	95 MM	SQUARE	40 MM			IH 770			24

ASP CAN MANUFACTURE MOST STYLES & SIZES OF DISC'S & COULTERS.

PLEASE CONTACT US TO DISCUSS YOUR REQUIREMENTS.

Ph: 07 3881 3464 or Email: sales@asproducts.com.au



Coulters

PART NUMBER	THICK	STYLE	BEVEL	CENTER HOLE	CENTER HOLE SIZE MM	RADIAL HOLES	PCD	DESCRIPTION	AGPOINT PART NO	GWT PART NO	KG
	COULTERS										
10.8"											
ASP-6195	3 MM	PLAIN	DOUBLE	ROUND	72 MM	5 X 9 MM	95 MM	CS 470 DRILLS	C1103	6195	1.5
12.5"											
ASP-6197A	3 MM	PLAIN	DOUBLE	ROUND	52 MM	6 X 10.5 MM	95 MM	DUNCAN	C1208	6281	2
13"											
ASP-08988	3 MM	FLUTED	SINGLE	ROUND	20 MM	6 X 6.7 MM	75 MM	SKF AGRI HUB			2
13.5"											
ASP-6198	3 MM	PLAIN	DOUBLE	ROUND	72 MM	5 X 9 MM	95 MM	CS 470 DRILLS	C1320	6336	2
15"											
ASP-1117	4 MM	15 SCALL	SINGLE	ROUND	45 MM	6 X 8.7 MM	76 MM	AGROWFLOW			4
ASP-1118	4 MM	11 SCALL	SINGLE	ROUND	45 MM	6 X 8.7 MM	76 MM	AGROWFLOW			4
16"											
ASP-6408	3 MM	PLAIN	SINGLE	ROUND	25 MM	6 X 7 MM	73 MM	HOLDEN HT HUB, Y, GN, CS	C1609		3
ASP-6407/5	5 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, Y, GN, CS	C1635	6407	5
18"											
ASP-1011	4 MM	FLUTED	FLUTED	ROUND	63.5 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, YEOMAN	C1860W	6473	5
ASP-6200	5 MM	PLAIN	SINGLE	ROUND	77 MM	4 X 10.5 MM	112 MM	JOHN DEERE	C1870	6480	6
ASP-09132	6 MM	PLAIN	SINGLE	ROUND	64 MM	5 X 13 MM	108 MM	HT, YEOMAN, GN, CS	C1872	6472	6
ASP-08878	6 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, Y, GN, CS	C1874		6
20"											
ASP-1171	6 MM	PLAIN	SINGLE	ROUND	64 MM	5 X 13 MM	108 MM	HT, VARIOUS STALK CUTTERS	C2072	6523	10
ASP-08865	6 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	Y, HT, GN, CS, GIANT	C2070	6522	10
22"											
ASP-1061 A	5 MM	SCALLOP	SCALLOP	ROUND	74 MM	6 X 13 MM	105 MM CSK	NVI, BAKER			9
26"											
ASP-6667	6 MM	PLAIN	DOUBLE	ROUND	47 MM	4 X 18 MM	165 MM	HODGE	C2608		14
ASP-6668	6 MM	PLAIN	DOUBLE	ROUND	51 MM	4 X SQ 14 MM	165 MM CSK	HODGE	C2609		14
ASP-6670	6 MM	PLAIN	DOUBLE	ROUND	102 MM	8 X 13 MM	292 MM	BONEL	C2610		14
ASP-6671	6 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, Y, GN, CS	C2612		14
30"											
ASP-6202	6 MM	PLAIN	DOUBLE	ROUND	102 MM	8 X 12 MM	292 MM	BONEL	C3014		20
ASP-6766	6 MM	PLAIN	DOUBLE	ROUND	51.5 MM	4 X 18 MM	165 MM	HODGE	C3015		20
ASP-6202/8	8 MM	PLAIN	DOUBLE	ROUND	102 MM	8 X 12 MM	292 MM	BONEL	C3014		28
ASP-6766/8	8 MM	PLAIN	DOUBLE	ROUND	51.5 MM	4 X 18 MM	166 MM	HODGE	C3015		28



OEM & Competitors part numbers are for reference only. ASP encourages you to measure your disc's & Coulters prior to ordering.

Slasher Blades



We have testimonials from Australian grass cutting contractors and local councils who have found ASP Boron blades last up to 40% longer than ordinary spring steel or high carbon alternatives. Our extensive range of quality parts and accessories for grass care machinery has been developed to assist council departments, grass cutting contractors and farmers to reduce their running costs. Using ASP's range of quality assured replacement parts, backed by \$10,000,000 product liability insurance, you will benefit from excellent prices, maximum wear life, and fast delivery Australia wide.

ASP BLADES COMPLY WITH THE 2011 NSW GOVERNMENT WORK COVER SLASHER BLADE STANDARDS.

AGRIFARM



BoronBlue™



Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01724	Suction Lift Blade Left hand cut Use BSA-00179 Bush	355MM	32MM	75MM	12MM	40MM



BEN WYE

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01724	Suction Lift Blade, Left hand cut BSA-00179 Bush BSA-100673 Bolt BSA-100852 Nut	355MM	32MM	75MM	12MM	40MM
BS-01724R	Suction Lift Blade, Right hand cut BSA-00179 Bush BSA-100673 Bolt BSA-100852 Nut	355MM	32MM	75MM	12MM	40MM



Please note: Slasher blades are measured from the centre of the bolt hole!

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-02003	Standard step down blade to suit 6 & 7' EHD Left hand cut, OEM Ref: 2003 BSA-02003B BUSH BSA-PG1112 BOLT BSA-PG1113 NUT	465MM	38MM	100MM	12MM	25MM
BS-02000	Standard step down blade to suit 6' HD Double edge LH & RH OEM Ref: 2000, 2005 BSA-00178 BUSH BSA-PG1112 BOLT BSA-PG1113 NUT	495MM	32MM	75MM	10MM	25MM
BS-01602	Suction Lift blade to suit 6' Side Discharge Left hand cut, OEM Ref: 1987 BSA-00180 BUSH BSA-PG1112 BOLT BSA-PG1113 NUT	460MM	32MM	75MM	16MM	40MM
BS-01585	Flat reversible blade to suit 6' HD Left hand cut, OEM Ref: 1984 BSA-00178 BUSH BSA-PG1112 BOLT BSA-PG1113 NUT	495MM	32MM	75MM	10MM	N/A
BS-01981	Flat reversible blade to suit 4'6" & 5' HD Left hand cut, OEM Ref: 1981 BSA-01981B BUSH BSA-PG1112 BOLT BSA-PG1113 NUT	368MM	26MM	75MM	10MM	N/A
BS-04457	Standard step down blade to suit EP slashers Left hand cut, OEM Ref: 1980 BSA-04457B BUSH BSA-PG1112 BOLT BSA-PG1113 NUT	262MM	25MM	65MM	8MM	25MM
BS-01582	Standard step down blade to suit Pasture Toppers Left hand cut, OEM Ref: 1801 BSA-00175 BUSH BRA-100196 BOLT BSA-100285 NUT	275MM	25MM	65MM	7MM	38MM

**SLASHER BLADE LENGTH IS MEASURED FROM
THE CENTRE OF THE BOLT HOLE TO THE END OF
THE BLADE.**

PLEASE CHECK BLADE SIZES BEFORE ORDERING.

CHRIS GROW & GASON

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-09043	Double Edge blade to suit 5' & Multi Gearbox OEM Ref: 225803 BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT	250MM	32MM	100MM	10MM	40MM

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-09044	Double Edge blade to suit 5' & Multi Gearbox OEM Ref: 226572 BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT	350MM	32MM	100MM	13MM	40MM
BS-09045	Double Edge blade to suit 6' & Multi Gearbox OEM Ref: 224936 BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT	450MM	32MM	100MM	13MM	40MM
BS-09047 Right Hand Cut	Suction Lift blades (10mm thick) to suit 5' & Multi Gearbox OEM Ref: 226571 RH & 226570 LH BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT	250MM	32MM	100MM	10MM	50MM
BS-09046 Left Hand Cut						
BS-08923 Right Hand Cut	Suction Lift blades (10mm thick) to suit 5' & Multi Gearbox OEM Ref: MC1525 & MC1625 BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT	357MM	32MM	100MM	10MM	50MM
BS-08922 Left Hand Cut						
BS-09048 Right Hand Cut	Suction Lift blade to suit 6' & Multi Gearbox OEM Ref: 225159 (RH) & 225158 (LH) BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT	450MM	32MM	100MM	10MM	50MM
BS-09049 Left Hand Cut						
BS-09050 Right Hand Cut	Suction Lift blades (13mm thick) to suit 5' & Multi Gearbox OEM Ref: 226569 RH & 226568 LH BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT	250MM	32MM	100MM	13MM	50MM
BS-09051 Left Hand Cut						
BS-08226 Right Hand Cut	Suction Lift blades to suit 5' & Multi Gearbox OEM Ref: Mc1520 226511(RH) & Mc1620 226512(LH) BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT	357MM	32MM	100MM	13MM	50MM
BS-08227 Left Hand Cut						
BS-08228 Right Hand Cut	Suction Lift blade to suit 6' & Multi Gearbox OEM Ref: Mc1500, 223542 (RH) & Mc1600, 223543 (LH) BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT	450MM	32MM	100MM	13MM	50MM
BS-08229 Left Hand Cut						
DAKEN		LENGTH	HOLE	WIDTH	THICK	STEP
BS-00467	Twisted double edge blade to suit 5' Left hand cut, OEM Ref: BSA-06394B BUSH BSA-07453K BOLT & NUT KIT (1 bolt & 1 nut)	330MM	38MM	100MM	10MM	N/A
BS-01724	Suction Lift blade to suit 6' Left hand cut - "Will only suit certain Models" BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT	355MM	32MM	75MM	12MM	40MM

250MM 25MM 65MM 7MM 22MM

BS-01586

 Standard Step down blade to suit 15'6" & 21'6"
 Double edge LH & RH

BSA-00175

BUSH


BSA-08089

BOLT KIT (1x bolt, bush & nut)


FIELDQUIP *INCLUDING MAJOR, BUSH HOG & RHINO*

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-09187 Left Hand	Step down, fluted blade suit MAJOR Flex Wing etc OEM Ref: 9GTB					
BS-09188 Right Hand	BSA-09190 BUSH (suits Overlap blade) BSA-09191 MOUNT BOLT, NUT & WASHER BSA-09192 SMALL BOLT & NUT					
BS-09189	Flat blade option to use with above (Overlap blade - use BSA-09190 Bush) OEM Ref: NTSG12C USE BSA-09193 FOR BEAM SPACERS (4 REQUIRED)					
BS-09194 Left Hand	Angle blade, fluted suit MAJOR Swift MJ70 & Verge Mowers etc OEM Ref: 25025 C / AC					
BS-09195 Right Hand	BSA-09196 BUSH, BOLT & NUT BSA-09197 WASHER / SPACER PLATE					
BS-01583	Suction Lift blade suit LE60, 70 & LS70 slashers L/Hand cut, OEM Ref: 21003, FQ6000, B6000 BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT					
BS-09075	Stepped & Fluted blade suit 5ft deck Bush Hog Ls1500 & LH1500 OEM Ref 36BH, 7555BH Left Hand cut BSA-09087 Bolt Kit OEM Ref 7919BH					
BS-08141	Stepped & Fluted blade suit 6ft deck Bush hog Ls1800 OEM Ref 7556BH Left Hand cut BSA-09087 Bolt Kit OEM Ref 7919BH					
BS-09076	Stepped & Fluted blade suit 7ft deck Bush Hog Ls2100 & LH2100 OEM Ref 7557BH Left Hand cut BSA-09087 Bolt Kit OEM Ref 7919BH					
BS-08139	Stepped & Fluted blade suit RH272 & RH472 OEM Ref 00780882 Left Hand cut					

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01572	Twisted double edge blade to suit 6' Left hand cut, OEM Ref: 73955, Bare-co B50 BSA-78299K Nib style bolt kit BSA-74222K Square shank bolt kit	432MM	32MM	75MM	12MM	N/A
BS-01573	Twisted double edge blade to suit 5' Left hand cut, OEM Ref: 72900, Bare-co B6001 BSA-78299K Nib style bolt kit BSA-74222K Square shank bolt kit	280MM	32MM	75MM	12MM	N/A
BS-01574	Stepped down double edge blade to suit 6', HD240 L/H & R/H cut, OEM Ref: 74598A BSA-78299K Nib style bolt kit BSA-74222K Square shank bolt kit	355MM	32MM	75MM	12MM	40MM
BS-01724 LEFT HAND	Suction lift blade to suit 5', 6' & 7' OEM Ref: 78663, Bare-co B6002 BSA-78299K Nib style bolt kit BSA-74222K Square shank bolt kit	355MM	32MM	75MM	12MM	40MM
BS-01724R RIGHT HAND						
BS-78663K	Suction lift blade kit to suit 5', 6' & 7' Left hand cut, OEM Ref: 78663 KIT INCLUDES 2 X BS-01724 BLADES & 2 X BSA-78299K NIB BOLT KITS	355MM	32MM	75MM	12MM	40MM
BS-08743	Leading Edge blade alternative Left hand cut, OEM Ref: 78787 BSA-78299K Nib style bolt kit	355MM	32MM	90MM	12MM	40MM
BS-08743K	Leading Edge blade kit alternative Left hand cut, OEM Ref: 78787 KIT INCLUDES 2 X BS-08743 BLADES & 2 X BSA-78299K NIB BOLT KITS	355MM	32MM	90MM	12MM	40MM
BSA-00489 SUITS HD210 & EHD210	Nib style Beam / Head flat to suit 7 foot slasher OEM Ref: 78814 USE BSA-00478 SPACER BSA-74808K Mounting bolt kit (4 bolts & nuts) BSA-100673 Beam to spacer bolt (require 2) BSA-100852 Beam to spacer nut (require 2)	1414MM	N/A	130MM	10MM	N/A
BSA-00486 SUITS HD180, EHD180 & EHD360	Nib style Beam / Head flat to suit 6 foot slasher OEM Ref: 78816 USE BSA-00479 SPACER BSA-74808K Mounting bolt kit (4 bolts & nuts) BSA-100673 Beam to spacer bolt (require 2) BSA-100852 Beam to spacer nut (require 2)	1116MM	N/A	130MM	10MM	N/A
BSA-00484 SUITS HD150, EHD150, HD300B & EHD300	Nib style Beam / Head flat to suit 5 foot slasher OEM Ref: 78818 USE BSA-00480 SPACER BSA-74808K Mounting bolt kit (4 bolts & nuts) BSA-100673 Beam to spacer bolt (require 2) BSA-100852 Beam to spacer nut (require 2)	812MM	N/A	130MM	10MM	N/A
SPACER BEAMS						
BSA-00480	suit BSA-00484 Beams OEM 78734 (722 x 130 x 12mm)					
BSA-00479	suit BSA-00486 Beams OEM 78732 (1026 x 130 x 12mm)					
BSA-00478	suit BSA-00489 Beams OEM 78693 (1314 x 130 x 12mm)					



Please note: Slasher blades are measured from the centre of the bolt hole!

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01075	Heavy Duty stepped down blade to suit 6' Left hand cut, OEM Ref: 21353	560MM	45MM	100MM	13MM	45MM
						
BS-01583	Suction Lift blade to suit 4' to 6' slashers Left hand cut, OEM Ref: 21003, Bare-co B6000 BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT	485MM	32MM	75MM	10MM	35MM
						
BS-01582	Standard step down blade to suit 1mtr & 4' Left hand cut, OEM Ref: 21010 BSA-21008 BOLT BSA-100852 NUT	275MM	25MM	65MM	7MM	38MM
						

KANGA

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-00467	Twisted double edge blade to suit S, M, H & XH Left hand cut, OEM Ref: 21016 BSA-06394B BUSH BSA-07453K BOLT & NUT KIT (1 bolt & 1 nut)	330MM	38MM	100MM	10MM	N/A
						
BS-01724	Suction Lift blade to suit 6' & 7' etc Left hand cut - Not Interchangeable with OEM 100-134 as has different hole size - Must use with fasteners below: BSA-00179 3/4" ID BUSH BSA-100675 3/4" HEX BOLT BSA-100852 3/4" NUT OPTION 1 BSA-00190 7/8" ID BUSH OEM REF 100-136 BSA-07453K 7/8" HEX BOLT / NUT OPTION 2 BSA-09027 C/SUNK, SQUARE SHANK BOLT KIT OEM REF 100-135 OPTION 3	355MM	32MM	75MM	12MM	40MM
						

LOXTON

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-07652	Flat double edge blade LH & RH cut, OEM Ref: SL056 BSA-07659 BUSH BSA-07658 BOLT KIT (1 x bolt, nut & bracket)	238MM	23MM	65MM	8MM	N/A
						
BS-07615	Standard step down double edge blade LH & RH cut, OEM Ref: SL057 BSA-07659 BUSH BSA-07658 BOLT KIT (1 x bolt, nut & bracket)	238MM	23MM	65MM	8MM	22MM
						
BS-07653 RIGHT HAND	Suction Lift blade Right hand cut, OEM Ref: SLP054 Left hand cut, OEM Ref: SLP055 BSA-07659 BUSH BSA-07658 BOLT KIT (1 x bolt, nut & bracket)	238MM	23MM	65MM	8MM	15MM
BS-07654 LEFT HAND						
		RIGHT HAND LEFT HAND				

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP	
BS-01075	Heavy Duty stepped down blade to suit 6'	560MM	45MM	100MM	13MM	45MM	
	Left hand cut						
	BSA-01074						BUSH
	BSA-700427						1" PIN
	BSA-700430	NUT					
BS-07805	Suction lift blade to suit 6'	560MM	45MM	100MM	13MM	45MM	
	Left hand cut						
	BSA-01074						BUSH
	BSA-700427						1" PIN
	BSA-700430	NUT					
BS-00986	Stepped down blade to suit 5'	495MM	35MM	75MM	13MM	40MM	
	Left hand cut						
	BSA-01073						BUSH
	BSA-700419						7/8" PIN
	BSA-700423	NUT					
BS-1138	Heavy Duty stepped down blade to suit 5'	495MM	45MM	100MM	13MM	45MM	
	Left hand cut						
	BSA-01074						BUSH
	BSA-700427						1" PIN
	BSA-700430	NUT					
BS-07161	Stepped down blade to suit 4'	331MM	38MM	100MM	10MM	47MM	
	Left hand cut						
	BSA-07161B						BUSH
	BSA-700419						7/8" PIN
	BSA-700423	NUT					
Fasteners to suit McLeod with 7/8" PIN							
BSA-700420	CUP	BSA-700419	7/8" PIN				
BSA-700421	BOSS	BSA-700423	7/8" NUT				
BSA-701962	KEY	BSA-01073	BUSH				
Fasteners to suit McLeod with 1" PIN							
BSA-700428	CUP	BSA-700427	1" PIN				
BSA-700431	BOSS	BSA-700430	1" NUT				
BSA-701962	KEY	BSA-01074	BUSH				

SCHULTE / WOODS

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-08138 RIGHT HAND	Stepped & Fluted blade, Right Hand cut, OEM Ref 401-046A (can use with BS-09088 Flat Blade) BSA-09094 Bolt kit OEM Ref 251-201	571MM	38MM	100MM	13MM	58MM
BS-08139 LEFT HAND	Stepped & Fluted blade, Left Hand cut, OEM Ref 401-047A (can use with BS-09088 Flat Blade) BSA-09094 Bolt kit OEM Ref 251-201	571MM	38MM	100MM	13MM	58MM
BS-08140 RIGHT HAND	Stepped & Fluted blade Right Hand cut, OEM Ref 401-049A (Can use with BS-08959 flat blade) BSA-09094 Bolt kit OEM Ref 251-201	645MM	38MM	100MM	13MM	58MM
BS-08141 LEFT HAND	Stepped & Fluted blade Left Hand cut, OEM Ref 401-048A (Can use with BS-08959 flat blade) BSA-09094 Bolt kit OEM Ref 251-201	645MM	38MM	100MM	13MM	58MM

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01724	Suction Lift blade to suit 3'6" to 6' slashers Left hand cut (check bolt size if 3/4" use below) BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT	355MM	32MM	75MM	12MM	40MM



SUPERIOR & PAGE **** (REFER Pg20 FOR SUPERIOR BUSH HOG) ****

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01586	Standard step down double edge blade LH & RH cut, OEM Ref: S3608 BSA-00175 BUSH BSA-08089 BOLT KIT (bolt kit includes 1x bolt, bush & nut)	250MM	25MM	65MM	7MM	22MM
BS-P1927	Flat reversible blade Left hand cut, OEM Ref: S2427 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	10MM	N/A
BS-P1938/10	Standard step down double edge blade LH & RH cut, OEM Ref: S4065, P1938 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	10MM	40MM
BS-01599	Flat reversible blade to suit 5' Left hand cut, OEM Ref: S4062, P1502 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	N/A
BS-00797	Standard step down double edge blade to suit 5' LH & RH cut, OEM Ref: S4600, P4073 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	40MM



**** PLEASE REFER TO PAGE 20 FOR SUPERIOR BUSHHOG LISTING ****


BS-01601	Suction lift blade to suit 5' & Multi Gearbox Left hand cut, OEM Ref: S4064, P1503, S4090 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	40MM
BS-01601R	Suction lift blade to suit 5' & Multi Gearbox Right hand cut, OEM Ref: S4091 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	40MM
BS-S2428	Flat reversible blade to suit 6' Left hand cut, OEM Ref: S2428 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	10MM	N/A



Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-P2028	Standard step down double edge blade to suit 6' LH & RH cut, OEM Ref: S6064, P2028, S2424 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	10MM	40MM
BS-01600	Flat reversible blade to suit 6' & 7' Left hand cut, OEM Ref: S5062, P1584, P4098 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	N/A
BS-01602	Suction Lift blade to suit 6' & 7' Left hand cut, OEM Ref: S5064, S5061, P1585 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01602R	Suction Lift blade to suit 6' & 7' Right hand cut, OEM Ref: S5065, S2116 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01603	Standard step down blade to suit 6' & 7' Left hand cut, OEM Ref: S5063 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01604	Standard step down double edge blade to suit 6' & 7' LH/RH cut, OEM S2142, P4099 Bare-co B6999 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01606	Large step down double edge blade to suit 6' & 7' LH & RH cut, OEM Ref: S2143, S2164 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	450MM	32MM	75MM	16MM	75MM
BSA-S4058	Superior beam / head flat to suit 4' & 4'6" with <u>round holes</u> . 21mm mounting bolt holes @ 152mm centres. BSA-S3393 MOUNTING BOLT (require 2) BSA-100852 NUT (require 2)	609MM	N/A	75MM	10MM	N/A
BSA-S2112	Superior beam / head flat to suit 4' & 4'6" with <u>square holes</u> . 21mm mounting bolt holes @ 152mm centres. BSA-S3393 MOUNTING BOLT (require 2) BSA-100852 NUT (require 2)	609MM	N/A	75MM	10MM	N/A
BSA-S6058	Superior beam / head flat to suit 6' with <u>round holes</u> . 21mm mounting bolt holes @ 152mm centres. (USE BSA-S6081 SPACER BEAM) BSA-S3393 MOUNTING BOLT (require 2) BSA-100852 NUT (require 2)	916MM	N/A	75MM	10MM	N/A
BSA-S2113	Superior beam / head flat to suit 6' with <u>square holes</u> . 21mm mounting bolt holes @ 152mm centres. (USE BSA-S6081 SPACER BEAM) BSA-S3393 MOUNTING BOLT (require 2) BSA-100852 NUT (require 2)	916MM	N/A	75MM	10MM	N/A

Beam length is from centre of blade bolt holes

Part Number	Description	Beam length is from centre of blade bolt holes				
		LENGTH	HOLE	WIDTH	THICK	STEP
BSA-S7058	Superior beam / head flat to suit 7' with <u>round holes</u> . 21mm mounting bolt holes @ 152mm centres. (USE BSA-S7059 SPACER BEAM)	1221MM	N/A	75MM	10MM	N/A
	BSA-S3393 MOUNTING BOLT (require 2)					
	BSA-100852 NUT (require 2)	Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut				
BSA-S7060	Superior beam / head flat to suit 7' with <u>square holes</u> . 21mm mounting bolt holes @ 152mm centres. (USE BSA-S7059 SPACER BEAM)	1221MM	N/A	75MM	10MM	N/A
	BSA-S3393 MOUNTING BOLT (require 2)					
	BSA-100852 NUT (require 2)	Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut				
	SUPERIOR 16MM Thick spacer beams					
	BSA-S6081 SUIT 6 FOOT (790mm Long)	Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut				
	BSA-S7059 SUIT 7 FOOT (1090mm Long)					
BSA-1496	Page beam / head flat to suit 6' with <u>round holes</u> . 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-1383 SPACER BEAM)	916MM	N/A	75MM	10MM	N/A
						
BSA-4411	Page beam / head flat to suit 6' with <u>square holes</u> . 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-1383 SPACER BEAM)	916MM	N/A	75MM	10MM	N/A
						
BSA-5496	Page beam / head flat to suit 7' with <u>round holes</u> . 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-4597 SPACER BEAM)	1221MM	N/A	75MM	10MM	N/A
						
BSA-5411	Page beam / head flat to suit 7' with <u>square holes</u> . 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-4597 SPACER BEAM)	1221MM	N/A	75MM	10MM	N/A
						
	PAGE 16MM Thick spacer beams					
	BSA-1383 SUIT 6 FOOT (790mm Long)					
	BSA-4597 SUIT 7 FOOT (1090mm Long)					
BSA-08043	Hex head bolt kit alternative to suit 8mm & 10mm thick blades (1x high tensile bolt, bush & lock nut).					
	BSA-00178 BUSH					
	BSA-PG1112 BOLT					
	BSA-PG1113 NUT					
BSA-08044	Hex head bolt kit alternative to suit 16mm thick blades (1x high tensile bolt, bush & lock nut).					
	BSA-00180 BUSH					
	BSA-PG1112 BOLT					
	BSA-PG1113 NUT					
BSA-08042	Dome head bolt kit to suit 8 & 10mm thick blades (1x Dome head bolt, bush & lock nut).					
	BSA-00178 BUSH					
	BSA-S2115 BOLT					
	BSA-PG1113 NUT					

Part Number	Description	
BSA-S2115K	Dome head bolt kit to suit 16mm thick blades (1x Dome head bolt, bush & lock nut). BSA-00180 BUSH BSA-S2115 BOLT BSA-PG1113 NUT	
BSA-S2114	3/4 X 2 7/8" DOME HEAD BOLT ONLY (USE WITH BSA-00180 BUSH & BSA-PG1113 NUT)	
BSA-S8127	3/4 X 3 1/2" DOME HEAD BOLT	

WARATAH / SILVAN

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-07453	Standard step down blade Left hand cut BSA-07161B BUSH BSA-07453K BOLT KIT (bolt kit includes 1x bolt & nut)	331MM	38MM	75MM	8MM	47MM
BS-07161	Heavy Duty step down blade **NEW - DOUBLE EDGE STYLE** BSA-07161B BUSH BSA-07453K BOLT KIT (bolt kit includes 1x bolt & nut)	331MM	38MM	100MM	10MM	47MM

WOODS

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-08138 RIGHT HAND	Stepped & Fluted blade - REQUIRE 2 FOR BATWING BW180X (WITH 4 X BS-08139) Right Hand cut	571MM	38MM	100MM	13MM	58MM
BS-08139 LEFT HAND	Stepped & Fluted blade - REQUIRE 4 FOR BATWING BW180X (WITH 2 X BS-08138) Left Hand cut	571MM	38MM	100MM	13MM	58MM

SLASHER - UNIVERSAL

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-08959	Universal Blade Flat double edge for both Left & Right hand cut, extra long 350mm cutting edge allows for blade to be cut down. Use BSA-06394B, BSA-00191 or BSA-00192 bushes depending on bolt size.	645MM	38	75MM	10MM	
BS-09251	Universal Blade Step (40mm) double edge for both Left & Right hand cut, extra long 340mm cutting edge allows for blade to be cut down. Use BSA-06394B, BSA-00191 or BSA-00192 bushes depending on bolt size.					

NEW



BoronBlue™

**ASP CASE HARDENED SLASHER BLADE BUSHES - QUICK REFERENCE CHART**

Part No	O/D	I/D	Thick	Part No	O/D	I/D	Thick
BSA-01074	45	25	14	BSA-00180	32	20	17
BSA-06394B	38	22	11	BSA-00190	32	22	14
BSA-02003B	38	19.5	14	BSA-01981B	25	19	11
BSA-07161B	37	22	13	BSA-00175	25	16	9
BSA-01073	35	22	14	BSA-07659	22	16	10
BSA-00178	32	19	11				
BSA-00179	32	20	14	BSA-04457B	25	19	9
BSA-00192	38	16	11	BSA-00191	38	19	11


ASP SLASHER BLADES ARE MANUFACTURED IN EUROPE FROM HIGH QUALITY BORON STEEL TO ENSURE WEAR CAPABILITIES THAT AT THE VERY LEAST MEET OEM STANDARDS BUT GENERALLY FAR EXCEED THEM.

ASP BLADES COMPLY WITH THE 2011 NSW GOVERNMENT WORK COVER SLASHER BLADE STANDARDS.

SLASHER - MISCELLANEOUS

BSA-700494 McLEOD & M/F CLUTCH DISC
151mm x 57mm x 4.7mm thick

BSA-S4027 SUPERIOR CLUTCH DISC
165mm x 64mm x 3.2mm thick



**WEATHER PROOF
DOCUMENT HOLDER**

(ASP-08961)

3 1/4" ID x 12 1/2" Long
Hard Plastic

NOTES:

Part No	Brand	Length	Width	Thick	Hole	Step	Form
BS-07652	LOXTON	238	65	8	23	0	Flat
BS-07615	LOXTON	238	70	8	23	22	Step
BS-07654	LOXTON	238	70	8	23	15	Step
BS-07653	LOXTON	238	70	8	23	15	Step
BS-01586	GESSNER	250	65	7	25	22	Double Edge
BS-09046 / 47	GASON	250	100	10	32	50	Step
BS-09050 / 51	GASON	250	100	13	32	50	Step
BS-04457	BERENDS	262	65	8	26	25	Step
BS-01582	JARRETT	275	65	7	25	38	Suction
BS-01573	HOWARD	280	65	12	32	0	Twisted
BS-P1938/10	PAGE/SUPERIOR	305	75	10	32	40	Step
BS-P1927	PAGE/SUPERIOR	305	75	10	32	0	Flat
BS-01599	PAGE/SUPERIOR	305	75	16	32	0	Flat
BS-00797	PAGE/SUPERIOR	305	75	16	32	40	Step
BS-01605	PAGE/SUPERIOR	305	75	16	32	40	Step
BS-01601	PAGE/SUPERIOR	305	75	16	32	40	Suction
BS-00467	DAKEN	330	100	10	38	15	Twisted
BS-07161	WARATAH	331	100	10	38	47	Step
BS-07453	WARATAH	331	75	8	38	47	Step
BS-09044	GASON	350	100	13	32	50	Step
BS-01724	HOWARD	355	75	12	32	40	Suction
BS-08743	HOWARD	355	90	12	32	40	Suction
BS-01574	HOWARD	355	75	12	32	40	Step
BS-08226/7	CHRIS GROW/GASON	357	100	13	32	50	Suction
BS-01981	BERENDS	368	75	10	26	0	Flat
BS-01572	HOWARD	432	75	12	32	0	Twisted
BS-08228/9	CHRIS GROW/GASON	450	100	13	32	50	Suction
BS-09045	GASON	450	100	13	32	50	Step
BS-09048 / 49	GASON	450	100	10	32	50	Suction
BS-01602	PAGE/SUPERIOR	460	75	16	32	40	Suction
BS-S2428	PAGE/SUPERIOR	460	75	10	32	0	Flat
BS-P2028	PAGE-SUPERIOR	460	75	10	32	40	Step
BS-01603	PAGE/SUPERIOR	460	75	16	32	40	Step
BS-01606	PAGE/SUPERIOR	450	75	16	32	75	Step
BS-02003	BERENDS	460	100	12	38	25	Step
BS-01583	JARRETT	485	75	10	32	35	Step
BS-02000	BERENDS	495	75	10	32	25	Step
BS-01585	BERENDS	495	75	10	32	0	Flat
BS-1138	MCLEOD	495	100	13	45	45	Step
BS-00986	MCLEOD	495	75	13	35	40	Step
BS-01075	MCLEOD	560	100	13	45	45	Step
BS-07805	MCLEOD	560	100	13	45	40	Suction
BS-08959	UNIVERSAL	645	75	10	38	0	Flat
BS-08138/39	SCHULTE/WOODS/RHINO	571	100	13	38	58	Suction
BS-08140/41	SCHULTE/WOODS/RHINO	645	100	13	38	58	Suction
BS-09125	UNIVERSAL	645	75	10	38	40	Step





MULCHING HAMMERS & FLAILS






ASP Cast hammers and ground tools are manufactured using a Nickel Chromium Molybdenum Alloy similar to that used in the mining industry for bucket teeth on heavy earth moving equipment. ASP Flails are made in Europe from Boron steel.

ASP offers a huge range of parts delivered Australia wide with same day despatch on all stocked items for orders received prior to 2pm.


Check out our website:
www.asproducts.com.au

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge 'Y' blade Use BSA-09250 Bush (55mm long)		25.4MM A= 204 B= 55	60MM	10MM	171MM
BS-06943HF	Hard Faced Alternative					
CI-1401	Cast hammer flail CIA-08472 BOLT CIA-100852 NUT ASM models use CIA-08028 fastener kit		16.5MM A= 120 B= 40 R= 90			


AGRIMASTER

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08490	Double edge blade 'Y' blade Suits MKD200/230/250/280 OEM 300 0106		25.5MM A= 147 B= 62	60MM	8MM	118MM
BS-08491	Flat double edge blade Suits MKD200/230/250/280		25.5MM A= 147	60MM	8MM	118MM
CI-11/20	Cast hammer flail Em31 Suits FA200		20.5MM A= 150 B= 60 R= 90			

ALLOWAY

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-505-3000	Double edge blade 'Y' blade, Hard Faced Use with: BSA-500-3-0008 D Ring BSA-500-3-0445 U-Bar BSA-09058 Bolt & Nut		17MM A= 190 B= 55	50MM	5MM	170MM
BS-505-3000HF	Hard Faced Alternative					

BERTI

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08835	Double edge 'Y' blade suits TSB High body & King etc Use with: BSA-09103 Bush CIA-08330 Bolt & Nut		28.5MM A= 204 B= 55	60MM	10MM	171MM
BS-09117	Double edge Flat blade option					

Part Number	Description	Diagram		
CI-06/16	Cast hammer flail EM06 suit AF Low body, TA/P & TA/M Mc0008, 'P' type hammer CIA-08700 Bolt Kit		16.5MM Hole A= 137 B= 40 R= 95	
CI-08853	Cast hammer flail 'M' type Mega Rotor (84mm Knuckle) TFH/F & TFH/M, TFB/M, TBM/S OEM Ref: MP0794		19.5MM Hole A= 137 B= 84 R= 95	
CI-08909	Cast hammer flail 'A' type suit: TFB, TFB/SB, EKR/S low body, TA/PF, TBM & TA. OEM Ref MP3922 (CAN USE CIA-08992 BOLT KIT REPLACES SQUARE HEAD BOLT)		19.5MM Hole A= 137 B= 52 R= 95	
CI-08496	Cast hammer flail - double edge 'T' type Eco forest, all ECF models with reversible hammers MD1950		30MM Hole A= 75 B= 80 R= 80	

BOMFORD


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-FMB003	Cast 'boot' flail. OEM Ref: 0295901 CI-1357 Shackle CIA-08031 2mm Collar 0280101 CIA-08029 Bolt Kit 0367525 (Bolt kit includes 1 x bolt, lock nut & washer)		16 x 32MM	40MM		
CI-08773	Double edge 'T' flail. OEM Ref: 46399.01 CI-08776 Flail Kit (kit includes flail, collars & fasteners) CIA-08774 Bush (2 per flail) CIA-08775 Bolt Kit		25.4MM			

BUFFALO


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08719	Double edge 'Y' blade (Use with BSA-08097 bush to reduce hole dia to 17mm)		25.4MM	65MM	10MM	140MM

CELLI






Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge suit Scorpio etc 'Y' blade		25.4MM	60MM	10MM	171MM
BS-06943HF	Hard Faced Alternative		25.4MM	60MM	10MM	171MM

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-11/20	Cast hammer flail Em31 Suits FA200		20.5MM A= 150 B= 60 R= 90			


FAE









Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-FMB14	Cast hammer flail Reversible		31MM A= 70 B= 60 R= 80			
CI-08996	Cast hammer flail Em32		16.5MM A= 76 B= 22 R= 95			


FALC

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge 'Y' blade		25.4MM A= 204 B= 55	60MM	10MM	171MM
BS-06943HF	Hard Faced Alternative					
BS-279005	Double edge 'L' blade		25.4MM A= 204 B= 47	60MM	10MM	171MM
BS-279003	Double edge Flat blade		A= 204			
CI-08942	Hammer Flail alternative for BS-06943 'Y' blades		25.5MM A= 115 B= 50 R= 171			
CI-08999	Hammer Flail		25.5MM A= 105 B= 54 R= 98			




FERRI

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08490	Double edge blade 'Y' blade Suits MKD200/230/250/280		25.5MM A= 147 B= 62	60MM	8MM	115MM


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08491	Flat double edge blade Suits MKD200/230/250/280		25.5MM A= 147	60MM	8MM	115MM
CI-08750	Double edge 'T' flail KIT (kit includes flail, bush, 2 x Spacers & fasteners)		25.4MM A= 64 B= 38 R= 115			
FORIGO		Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-09039	Double edge 'Y' blade use BSA-09040 Bush, BSA-09041 End Spacer x 2 & BSA-09042 Bolt & Nut		25.4MM A= 153 B= 60	60MM	10MM	125MM
GESSNER / LOFTNESS						
BS-09143HF	HARD FACED Double edge 'Y' blade BSA-09144 U Bracket BSA-09145 Bush		24MM A= 173 B= 50	60MM	8MM	150MM
HOWARD (KRONOS)						
BM-181024	Single edge blade BMA-151002 Shackle BMA-08033 Spacer BMA-08034 Bolt kit		16 x 36MM A= 98 B= 39	40MM	12MM	
BS-06943	Double edge 'Y' blade use BSA-06944P Pin & Split pin		25.4MM A= 204 B= 55	60MM	10MM	171MM
BS-06943HF	Hard Faced Alternative					
BS-279005	Double edge 'L' blade		A= 204 B= 47			
BS-279003	Double edge Flat blade		A= 204			
CI-08942	Hammer Flail alternative for BS-06943 'Y' blades		26MM A= 115 B= 50 R= 171			
BSA-06944P	Pin to suit 25.4mm hole complete with Spit Pin					

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-Y90HF HARD FACED	Riveted 'Y' blade assembly use with BSA-Y90CC Bush & Fastener Kit (includes Bush, Bolt, Nut & 2 X washers)		20MM	65MM	10MM	145MM
			A= 170 B= 80 (total of both together)			
						



JOHN BERENDS IMPLEMENTS

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08001	Double edge blade 'Y' blade Suits pre 2000 mulchers OEM Ref: 1600 use with bolt & nut kit BSA-09081		20.5MM	50MM	10MM	120MM
			A= 138 B= 55			
						
BS-08471	Double edge 'L' blade OEM Ref: 1599 use with bolt & nut kit BSA-09081		20.5MM	50MM	10MM	120MM
			A= 138 B= 55			
						
BS-08291	Double edge blade 'Y' blade Suits HIGH body mulchers OEM Ref: 1609 use with bolt & nut kit BSA-09081		20.5MM	50MM	10MM	165MM
			A= 185 B= 55			
						

KRONE

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BM-336003	Double edge blade 'Y' blade		14.5MM	40MM	5MM	115MM
			A= 134 B= 40			
						

KUHN

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge 'Y' blade (L type & Flat blades available)		25.4MM	60MM	10MM	171MM
			A= 204 B= 55			
						
BS-06943HF	Hard Faced Alternative					
CI-08942	Hammer Flail alternative for BS-06943 'Y' blades OEM Ref JX136378		26MM			
			A= 115 B= 50 R= 171			
						

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
-------------	-------------	---------	------	-------	-------	----------------------------

**PLEASE REFER TO PAGE 20 (FIELDQUIP / MAJOR)
FOR VERGE MOWER BLADES**





MALETTI

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
-------------	-------------	---------	------	-------	-------	----------------------------

BS-08009	Double edge 'Y' blade (Comes supplied as 2 x BS-06943 flails & 1 x BSA-08097 bush)		17MM A= 204 B= 55	60MM	10MM	171MM
----------	---	--	-----------------------------	------	------	-------


MASCHIO





Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
-------------	-------------	---------	------	-------	-------	----------------------------

BS-08303	Double edge 'Y' blade OEM Ref: T40005142 Suits CL, ML & MS models (Use with BS-09022 Flat blade)		25.5MM A= 210 B= 61	60MM	8MM	190MM
BS-08304	Double edge blade 'Y' blade to suit BA models OEM Ref: T21004040 (Requires 2 of BSA-01981B spacers)		16.5MM A= 136 B= 60	45MM	8MM	120MM
CI-1400	Cast hammer flail Em04 T24004025 Suits BL & CR models		16.5MM A= 120 B= 40 R= 110			
CI-11/20	Cast hammer flail Em31 OEM Ref M03400410R		20.5MM A= 150 B= 60 R= 90			


McCONNEL

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
-------------	-------------	---------	------	-------	-------	----------------------------


CI-1387	Double edge 'T' flail. OEM Ref: 73.14.366 CI-1387K Flail Kit suit F10 (kit includes flail, bush & fasteners) CIA-1387BK Fastener kit(includes 1 x bush, bolt & lock nut)		25.4MM A= 60 B= 38 R= 135			
CI-09248	H/Duty Single sided Hammer option suit F10		NEW			
BS-09100	Double edge Y blade suit ROBOCUT mowers (44 required per set) BSA-09113 Bush / Spacer BSA-09114 Bolt & Nut		12.5MM A= 100 B= 45	40MM	6MM	90MM

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge 'Y' blade Suits TS140, TS160 & TS300		25.4MM A= 204 B= 55	60MM	10MM	171MM
BS-06943HF	Hard Faced Alternative					
BS-279005	Double edge 'L' blade		25.4MM A= 204 B= 47	60MM	10MM	171MM
BS-279003	Double edge Flat blade		25.4MM A= 204	60MM	10MM	171MM
CI-08682	Cast hammer flail		18.5MM A= 137 B= 40 R= 95			


MOTT

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BM-100759HD	Double edge 'Y' blade BM-100761 Shackle BMA-102670 Pin BMA-00026 Split pin		13 x 27MM A= 82 B= 39	40MM	5MM	65MM










MURATORI

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08814	Double edge 'Y' blade OEM Ref: 12007800		20.5MM A= 110 B= 46	40MM	10MM	97MM


MUTHING

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-06/16	Cast hammer flail HS Model Em06 CIA-08028 Bolt & Nut		16.5MM Hole A= 137 B= 40 R= 95			






ASP encourages you to check measurements prior to ordering. Don't see your blade listed? Email a photo of your blade & dimensions to sales@asproducts.com.au

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge, 'Y' blade Suits BNU, BNG, NK, RM, P. OEM Ref: N2555004		25.4MM	60MM	10MM	171MM
BS-06943HF	Hard Faced Alternative		A= 204 B= 55			
BSA-06943P	PIN (threaded with Nyloc Nut) to suit BS-06943, BS-279005 & BS-279003 flails.					
BSA-06944P	PIN (with Split Pin) to suit BS-06943, BS-279005 & BS-279003 flails.					
BS-279005	Double edge 'L' blade		25.4MM	60MM	10MM	171MM
BS-279003	Double edge Flat blade OEM Ref: N1551000		A= 204 B= 47			
BS-1781000	Double edge 'Y' blade Suits BNE & TB OEM Ref: N1781000		16.5MM	40MM	8MM	115MM
CI-1400	Cast hammer flail Em04 OEM Ref N1891002 Suits TBL, VK, VKE, VKD, VKR, WMU & BNE		16.5MM			
CI-08926	H/Duty Hammer flail alternative to the BS-06943.		A= 120 B= 40 R= 110			
CI-08942	Hammer Flail alternative for BS-06943 'Y' blades OEM Ref N2555002					
NOREMAT						
CI-09208	Cast hammer flail Use CIA-08774 Bushes x 2					
ORSI & PERUGINI						
CI-08753	Cast hammer flail Suits TBL, VK, VKE, VKD, VKR, WMU & BNE CIA-08028 Special Bolt set		16.5MM			
CI-09206	Cast hammer flail		20.5MM			




NEW
NEW

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-09028	Double edge 'Y' blade Use BSA-09034 Fastener kit (includes Pin, Bush & Roll Pins) or BSA-09103 Bush		29MM A= 210 B= 45	60MM	6MM	180MM
BS-09028HF	Hard Faced Alternative					

SEPPI

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08304	Double edge blade 'Y' blade to replace CI-1400 (Requires 2 of BSA-00192 spacers)		16.5MM A= 136 B= 60	45MM	8MM	120MM
CI-1401	Cast hammer flail Em08 OEM Ref: 13002041 CIA-08028 Special bolt set (OEM Ref: 13002075)		16.5MM A= 120 B= 40 R= 90			
CI-1400	Cast hammer flail Em04 OEM Ref: 13002001 CIA-08028 Special bolt set (OEM Ref: 13002075)		16.5MM A= 120 B= 40 R= 110			
CI-08989	Cast hammer flail, single edge		31MM A = 70 B = 60 R = 80			
CI-08989HF	Tungsten Hard Faced option					
CI-FMB14	Cast hammer flail Reversible OEM Ref: 11001008		31MM A= 70 B= 60 R= 80			

SICMA


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08814	Double edge 'Y' blade Suits TS, TSL & TVF		20.5MM A= 110 B= 46	40MM	10MM	97MM
BS-08490	Double edge blade 'Y' blade		25.5MM A= 147 B= 62	60MM	8MM	118MM
BS-08491	Flat double edge blade		25.5MM A= 147	60MM	8MM	118MM

SICMA - CONTINUED







BoronBlue™




Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-11/20	Cast hammer flail Em31		20.5MM A= 150 B= 60 R= 90			



SOVEMA



Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge 'Y' blade		25.4MM A= 204 B= 55	60MM	10MM	171MM
BS-06943HF	Hard Faced Alternative					
BS-279005	Double edge 'L' blade		25.4MM A= 204 B= 47	60MM	10MM	171MM
BS-279003	Double edge Flat blade		25.4MM A= 204	60MM	10MM	171MM
CI-08817	Single edge flail		14 x 25MM A= 79 B= 70		3MM	
	BSA-08818 Shackle					

TERRANOVA

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-08817	Single edge flail		14 x 25MM A= 79 B= 70		3MM	
	BSA-08818 Shackle					


TIERRE

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-09021	Double edge 'Y' blade		25.4MM A= 215 B= 50	60MM	7MM	
	BSA-08880 Bush					
BS-09022	Double edge Flat blade		25.4MM A= 210	60MM	8MM	



Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-08996	Cast hammer flail OEM 16022 Warlord etc		16.5MM A= 76 B= 22 R= 95			
CI-09249	Gamma Flail style hammer Cast hammer flail OEM 411-160-105		NEW			

TURNER - Refer to Bomford Listing


WOODS

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-505-3000	Double edge blade 'Y' blade, Hard Faced Use with: BSA-500-3-0008 D Ring BSA-500-3-0445 U-Bar BSA-09058 Bolt & Nut		17MM A= 190 B= 55	50MM	5MM	170MM 
BS-505-3000HF	Hard Faced Alternative					

ZANON & INO

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-09062	Cast hammer flail Suits Ino Mulcher		14.5MM A= 85 B= 40 R= 100			
CI-1401	Cast hammer flail Em08 CIA-08028 Fastener kit		16.5MM A= 120 B= 40 R= 90			

ZENIT & MULCH MASTER

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-08999	Hammer Flail BSA-06944P Pin & Split Pin		25.5MM A= 105 B= 54 R= 98			

Flails					
	Width	Thickness	Length	Length	Hole
Part No.	W(mm)	T(mm)	(centre)	(overall)	H(mm)
BS-06943	60	10	171	204	25.4
BS-08001	50	10	120	138	20.5
BS-08009	65	10	171	204	17
BS-08291	50	10	165	185	20.5
BS-08303	60	8	190	210	25.5
BS-08304	45	8	120	136	16.5
BS-08471 "L"	50	10	120	138	20.5
BS-08490	60	8	115	150	25.5
BS-08491 FLAT	60	8	115	150	25.5
BS-08719	65	10	140	173	25.4
BS-08835	60	8	171	204	28.5
BS-09021	60	7	195	215	25.4
BS-09022	60	8	190	210	25.4
BS-09028	60	6	180	210	29
BS-09039	60	10	125	153	25.4
BS-09059	40	8	100	119	20.5
BS-1781000	40	8	115	128	16.5
BS-279003 FLAT	60	10	171	204	25.4
BS-279005 "L"	60	10	171	204	25.4
BM-336003	40	5	115	134	14.5
BM-100759HD	45	5	65	82	13 x 27
BM-181024	40	12	70	98	16 x 36
BS-505-3000HF	50	5	170	190	17
BS-Y90	65	10	145	170	20
Hammer					
	Radius	Cutting	Hole	Knuckle	Ref
Part No.	R (mm)	CF (mm)	H (mm)	KW	OEM
CI-06/16	95	137	16.5	40	EM06
CI-08753	97	147	16.5	54	
CI-08817		70	14 X 25	6	
CI-08853	105	140	21	85	
CI-08909	98	140	20	52	
CI-08926	175	88	25.4	51	
CI-08996	95	76	16.5	22	
CI-08999	98	105	25.5	54	
CI-09061	90	120	14.5	40	
CI-09062	95	85	14.5	40	
CI-1400	110	120	16.5	40	EM04
CI-1401	90	120	16.5	40	EM08
CI-11/20	90	150	20.5	60	EM11
CI-08682	95	137	18.5	40	
CI-FMB14	80	70	31	60	
CI-08496	80	75	31	80	
CI-FMB003	85L, 68H	40W	16 x 32	11	
CI-08773	105	60	25.4	38	
CI-1387	135	60	25.4	38	
CI-08682	95	137	18.5	40	



Y FLAILS



L FLAILS



FLAT FLAIL



STD HAMMER



T HAMMER



BOOT HAMMER

PUSH MOWER, FINISHING MOWER & TURF HARVESTER BLADES!



ASP Swing Tip mower blades are measured from the centre of the hole to the end of the blade. We encourage you to measure your old blade prior to ordering.


ASP Mower Blades & Fasteners are not sold as Genuine. Any reference to Original Equipment Manufacturers or Competitors part numbers etc are for ease of identification & reference only.

SWING TIP MOWER BLADES

(Blades to suit Push Mowers & Finishing Mowers)

Part Number	Description	
AGRIFARM BS-30151 Replaces OEM 30151	Stepped, double edge swing tip blade Use with BSA-30444 Bolt set (includes 1 x bolt, nut & washer)	Length 110mm from centre of hole Hole 18mm Width 50mm Thick 5mm Step 10mm 
COX BD-08012K Replaces OEM MB150AHD	Stepped & fluted swing tip blade & bolt set - sold as a pair, Right hand cut. Suit 28" & 48" Orion, Scout & Stockman (Includes 2 x blades & 2 x bolt, nut & washer)	Length 150mm from centre of hole Hole 13mm Width 50mm Thick 3mm Step 10mm 
GREENFIELD BD-08322 Replaces OEM	Greenfield Anniversary 28", 30" and 32" cut 8HP, 11HP and 12HP Models. Also Fits Evolution 1, 23 & 200, 30", 32" and 34" cut models Also Fits Tractor 11.30 MKII 30" Cut Models (Includes 2 x blades & 2 x bolt, nut & washer)	Length 185mm from centre of hole Hole 14mm Width 60mm 
HONDA BD-08003	Stepped & fluted swing tip blade - sold as a pair Right hand cut. Suit 196, 197 & 215 BD-08003BK Bolt set (sold as a pair with D washer) BD-08563 Bolt set (sold as a pair without D washer) BD-08206 Wave washer (sold each)	Length 124mm from centre of hole Hole 16mm Width 44mm Thick 2mm Step 5mm 
BD-08279	Stepped & fluted swing tip blade - sold as a pair Right hand cut. HIGH LIFT Suit 216 & 217 BD-08003BK Bolt set (sold as a pair with D washer) BD-08563 Bolt set (sold as a pair without D washer) BD-08206 Wave washer (sold each)	Length 152mm from centre of hole Hole 16mm Width 50mm Thick 2mm Step 5mm 
BD-08280	Stepped & fluted swing tip blade - sold as a pair Right hand cut. LOW LIFT Suit 216 & 217 BD-08003BK Bolt set (sold as a pair with D washer) BD-08563 Bolt set (sold as a pair without D washer) BD-08206 Wave washer (sold each)	Length 152mm from centre of hole Hole 16mm Width 50mm Thick 2mm Step 5mm 
BD-08003BK	BD-08003BK Bolt set WITH D washers (sold as a pair)	
BD-08563	BD-08563 Bolt set without D washer (sold as a pair)	
AF-1332 OEM Ref: 17210-ZIV-003	Replacement air filter to fit GXV160H2 engines as fitted to HRU196, HRU216 etc - Complete with rubber seal on base and foam outer filter. Dimensions: 7 1/2" x 2-1/2" wide x 2" high	

Part Number	Description	
HONDA CONT ASP-701 OEM Ref: 42710-VA3-K00	Standard plastic wheel / rubber tread 7 3/4" diameter to suit 1/2" axle. Complete with cap.	
ASP-702 OEM Ref: 42810-VJ9-000	Self propelled rear drive plastic wheel / rubber tread. 7 3/4" diameter. Complete with cap.	
ASP-801 OEM Ref: 44710-VK0-C80	New type Honda front & rear wheel 8" with bearing suit 1/2" axle. suits HRU 196 /197K1 & M1 2010 onwards front & rear & front wheels on the 216k2 , M1 & M2 2010 onwards. Check OEM part number	
ASP-802 OEM Ref: 42810-VJ9-B80	Self propelled rear drive plastic wheel suit new style HRU216	
HOWARD BR-78241 Replaces OEM 78241	Stepped & fluted swing tip blade - sold as each Left hand cut. Suit Series 1 Stealth, Procut & Rolla BMA-08065 Bolt set (sold each) BR-78241K Blade kit (includes 12 blades & fasteners) BR-08284 Bulk kit (includes 60 blades & fasteners)	Length 102mm from centre of hole Hole 13mm Width 50mm Thick 3mm Step 8mm 
BR-08754 & BRA-08755 Replaces OEM TX16084UK10 & TX32205K10	ALTERNATIVE for OEM Lazer blades & bolts. Stepped & fluted swing tip blade - sold as a KIT Left hand cut. Suit Series 2, 3 & 4 Stealth, Procut & Rolla (Kit includes 10 blades). MUST USE BRA-08755 BOLT KIT (10 x ASP STYLE BOLTS)	Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm 
JARRETT BM-08921 Replaces OEM 43751	Stepped & fluted swing tip blade - sold each Left hand cut. BSA-43752 Bolt set (sold each) (Bolt set includes 1 x bolt, nut & washer)	Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm 
K-LINE BS-08905 LH BS-08906 RH	Stepped & fluted swing tip blade - sold each BS-08905 Left Hand Blade BS-08906 Right Hand Blade BSA-43752 Bolt set (sold each)	Length 135mm from centre of hole Hole 20.5mm Width 65mm Thick 4mm Step 20mm 
MASSPORT BD-09156K Oem part no. 529594 , 6352 007 1000, 780658	18" deck blade and bolt kit for masport & morrison mowers: Right Hand cut fits cushion, quickcut & quadcut blade systems, rear catcher. Pair Blades & Fasteners	Length 97mm from centre of hole Hole 13mm Width 44mm 
ROVER BD-08005K Replaces OEM 1118	Flat & fluted swing tip blade kit Right hand cut. Suits 18" rear catcher. Sold as a pair (2 blades, bolts, washers & nuts)	Length 94mm from centre of hole Hole 13mm Width 38mm 

Part Number	Description		
SALIBA BS-08579 L/H BS-08580 R/H	Stepped & fluted swing tip blade - sold each BS-08579 Left hand cut. BS-08580 Right hand cut BSA-43752 Bolt set (sold each) BR-08423 Kit (includes 8x BS-08579, 8x BS-08580 & 16x BSA-43752)	Length 140mm from centre of hole Hole 20.5mm Width 65mm Thick 4mm Step 20mm	
SAMMUT BM-08577 L/H BM-08578 R/H	Stepped & fluted swing tip blade - sold each BM-08577 Left hand cut. BM-08578 Right Hand cut BSA-08036 Bolt set (sold each) BR-08422 Kit (includes 8x BM-08577, 8x BM-08578 & 16x BSA-08036)	Length 120mm from centre of hole Hole 18.5mm Width 65mm Thick 4mm Step 15mm	
SUPERIOR BR-03693 Replaces OEM S3693	Stepped & fluted swing tip blade - sold each Left hand cut. BRA-08088 Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm	
BR-08689	Stepped & fluted swing tip blade - sold each Right hand cut. BRA-08088 Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm	
BR-09218 	Stepped swing tip blade - sold each Double Edge, Left & Right hand cut BRA-08088 Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm	
BR-09219 	Stepped & fluted swing tip blade - sold each Right hand cut - MULCH BRA-08088 Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 75mm Thick 5mm Step 18mm	
BR-08766	Stepped & fluted swing tip blade - sold each Left hand cut - MULCH BRA-08088 Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 75mm Thick 5mm Step 18mm	
TRIMAX BR-08754 & BRA-08755	ALTERNATIVE for OEM Lazer blades & bolts. Stepped & fluted swing tip blade - sold as a KIT Left hand cut. Suit Series 2, 3 & 4 Stealth & Procut ETC (Kit includes 10 blades). <i>MUST USE BRA-08755 BOLT KIT (10 x ASP STYLE BOLTS)</i>	Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm	
UNIVERSAL BM-V100RH	Stepped & fluted swing tip blade - sold each Right hand cut. BMA-08062 Bolt set (sold each) (Bolt set includes 1 x bolt, nut & washer) BM-V100RHK Bulk kit of 60 blades & fasteners	Length 120mm from centre of hole Hole 13mm Width 65mm Thick 3mm Step 6mm	
VICTA BD-08006K Replaces OEM Ca09306	Flat & fluted swing tip blades & bolts - sold as a pair of blades & bolts, washers & nuts Right hand cut. Suits 18" rear catcher.	Length 98mm from centre of hole Hole 15mm Width 44mm Thick 2mm Step N/A	

TURF HARVESTER BLADES

6mm THICK SIDE PLATES WITH EXTRA DEPTH FOR LONGER CUTTING LIFE



PART NUMBER	SIZE	APPLICATION
BTC16-8	16 INCH	VAN VUUREN, BROUWER & POYNTZ
<i>BTC16-8-131</i>	16 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
BTC16-8F	16 INCH	RYAN, KESMAC & SIMPSON
<i>BTC16-8F-131</i>	16 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
<i>BTC16-8F-207</i>	16 INCH	AS ABOVE - WITH 4 X 207mm FINGERS
BTC18-8-1	18 INCH	VAN VUUREN, BROUWER & POYNTZ
<i>BTC18-8-1-131</i>	18 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
BTC18-8F	18 INCH	RYAN, KESMAC & SIMPSON
<i>BTC18-8F-131</i>	18 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
BTC23-8F	23 INCH	RYAN, KESMAC, BROUWER, TREBRO ETC
<i>BTC23-8F-131</i>	23 INCH	AS ABOVE - WITH 5 X 131mm FINGERS
<i>BTC23-8F-180</i>	23 INCH	AS ABOVE - WITH 5 X 180mm FINGERS
<i>BTC23-8F-280</i>	23 INCH	AS ABOVE - WITH 5 X 280mm FINGERS
<i>BTC23-8F-300</i>	23 INCH	AS ABOVE - WITH 5 X 300mm FINGERS
BTC24-8F	24 INCH	RYAN, KESMAC, BROUWER, TREBRO ETC
<i>BTC24-8F-180</i>	24 INCH	AS ABOVE - WITH 5 X 180mm FINGERS
<i>BTC24-8F-207</i>	24 INCH	AS ABOVE - WITH 5 X 207mm FINGERS
<i>BTC24-8F-230</i>	24 INCH	AS ABOVE - WITH 5 X 230mm FINGERS

ASP Turf cutters are the only blades available in Australia made entirely from European Boron steel. Both side plates and bottom blades are through hardened for maximum hardness and operational life. Our blades are used by Original Equipment Sod Harvester manufacturers in Europe.

The blade cutting edge is sharpened with a double bevel to ensure the cutting edge is maintained even in difficult stony areas.

BORON STEEL TURF CUTTERS

RIDE ON MOWER BLADES




How to Measure your Blade

Length: A. Measure the blade diagonally from cutting tip to cutting tip.

Width: B. Measure the width at the widest part of the blade.

C. Measure the center hole.

D. Measure the center to center distance between the outer holes.



ASP ride on mower blades are manufactured in Europe from high quality Boron steel to ensure wear capabilities that at the very least meet OEM standards but generally far exceed them.

ASP mower blades are typically 50Rc hardness, high carbon alternatives are typically 40Rc. The extra hardness in ASP blades means superior wear resistance and because Boron in the steel prevents the blade becoming brittle in heat treatment, it ensures you enjoy at least 30% longer life from ASP blades.

ASP blades are without a doubt the best performing blade available for all Australian conditions.

ASP BORON BLADES

ASP stocks a range of Spanish made BORON steel Mower Blades to suit most popular makes & models. If you don't see your mower listed please contact ASP with dimensions of your old blade, as we may have a blade in the range to suit?

CRAFTSMAN		
Part Number	Description	
BR-08224 Replaces OEM 134149, 138971	42" Deck. Flat & Fluted. Right Hand cut. Requires 2 blades per set	Length 535mm Hole 5PT Star Width 57mm Thick 4mm Step N/A 
CUB CADET		
Part Number	Description	
BR-08963 Replaces OEM 742-04053, 742-04123	50" Deck. Stepped & Fluted. RZT50 Right Hand cut. Requires 3 blades per set (Replaces the OEM 6 point star hole) 	Length 452mm Hole 6PT Star Width 65mm Thick 5mm Step 24mm 
BR-115227A Replaces OEM 942-0616, 742-0616	42" Deck. Flat & Fluted. Mulch & Discharge ZTR & RZT42 Right Hand cut. Requires 2 blades per set (Replaces the OEM 6 point star hole)	Length 539mm Hole 6PT Star Width 70mm Thick 4mm Step N/A 
DIXON		
Part Number	Description	
BR-08956 Replaces OEM 575296401	48" Deck - RAM ZTR Flat & Fluted RH cut. Requires 3 blades	Length 412mm Hole 5PT Star Width 65mm Thick 5mm Step N/A 

Part Number	Description	
DIXON Cont. BR-08224 Replaces OEM 532134149	42" Deck - SPD ZTR Flat & Fluted RH cut. Requires 2 blades	Length 535mm Hole 5PT Star Width 57mm Thick 5mm Step N/A 
BR-08957 Replaces OEM 539112078	42" Deck - 3 Blade Deck Flat & Fluted RH cut. Requires 3 blades	Length 372mm Hole 5PT Star Width 65mm Thick 5mm Step N/A 
Part Number	Description	
BR-08207 Replaces OEM 22476	72" Deck. Flat & Fluted. Right Hand cut. Requires 3 blades <i>(Check blade length)</i>	Length 620mm Hole 16mm Width 65mm Thick 8mm Step N/A 
BR-08217 Replaces OEM 155000	72" Deck. Stepped & Fluted. Right Hand cut. Requires 3 blades <i>(Check blade length)</i>	Length 630mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18036 Replaces OEM 1520842, A48384	61" Deck. Stepped & Fluted. Right Hand cut. Requires 3 blades per set	Length 532mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18037 Replaces OEM 15212275, 1521227 A48185	52" (3 blades) & 36" (2 blades) Deck. Stepped & Fluted. Right Hand cut.	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm 
BR-08891 Replaces OEM 15212275, 1521227 A48185	52" (3 blades) & 36" (2 blades) Deck. Flat Mulcher. Right Hand cut.	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08407	48" Deck. Flat & High Lift Flute. Right Hand cut. (some models only - check length) Requires 3 blades per set	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08895	48" Deck. Flat Mulcher. Right Hand cut. (some models only - check length) Requires 3 blades per set	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A 

GRASSHOPPER			
Part Number	Description		
BR-06271	Fits Grass Hopper 72" Deck Stepped & Fluted RH cut Requires 3 blades per set Replaces OEM 320250	Length Hole Width Thick Step	639mm 13mm 65mm 6mm 7mm 
BR-562390 Replaces OEM 320236	Fits Grass Hopper 52" Deck Flat & Fluted RH cut Requires 3 blades per set	Length Hole Width Thick Step	456mm 13mm 65mm 5mm N/A 
GRAVLEY			
Part Number	Description		
BR-08207 Replaces OEM 047685, 08983851	Fits Gravely 72" Decks Hi-Flow Blade Flat. RH cut. Requires 3 blades per set	Length Hole Width Thick Step	620mm 16mm 65mm 8mm N/A 
BR-08726 Replaces OEM 047685, 08983851, 09838	Fits Gravely 72" Decks Mulcher Blade. Stepped. RH cut. Requires 3 blades per set	Length Hole Width Thick Step	620mm 16mm 65mm 6mm 6mm 
BR-08952 Replaces OEM 046999, 08898900, 08979651	Fits Gravely 60" Decks 200-300 Series Flat & Fluted. RH cut. Requires 3 blades per set	Length Hole Width Thick Step	520mm 16mm 65mm 6mm N/A 
BR-08910 Replaces OEM 046999, 08898900, 08979651	Fits Gravely 60" Decks 200-300 Series etc Mulcher Blade Flat. RH cut. Requires 3 blades per set BoronBlue™ Mulcher Blades	Length Hole Width Thick Step	520mm 16mm 65mm 6mm N/A 
BR-D18037 Replaces OEM	Fits Gravely 52" Decks Stepped & Fluted RH cut Requires 3 blades per set	Length Hole Width Thick Step	457mm 16mm 65mm 5mm 4mm 
BR-08891 Replaces OEM	Fits Gravely 52" Decks Mulcher Blade Flat. RH cut. Requires 3 blades per set BoronBlue™ Mulcher Blades	Length Hole Width Thick Step	457mm 16mm 65mm 6mm N/A 

GREAT DANE



Part Number	Description	
BR-08104 Replaces OEM	Fits Great Dane 72" Deck Flat Fluted RH cut Requires 3 blades per set <i>Use blade Bolt BRA-08246</i>	Length 624mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18036 Replaces OEM GDU10232, D18036	Fits Great Dane 61" Deck Stepped & Fluted RH cut Requires 3 blades per set <i>Use blade Bolt BRA-08246</i>	Length 532mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18037 Replaces OEM GDU10231, D18037	Fits Great Dane 52" and 36" Deck Stepped & Fluted RH cut Requires 3 blades per set for 52" and 2 blades per set for 36".	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm 
BR-08891 Replaces OEM GDU10231, D18037 BoronBlue™ Mulcher Blades	Fits Great Dane 52" and 36" Deck Mulcher Blade RH cut Requires 3 blades per set for 52" and 2 blades per set for 36". <i>Use blade Bolt BRA-08246</i>	Length 457mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-D18086 Replaces OEM GDU10230, D18086 BoronBlue™ Mulcher Blades	Fits Great Dane 48" and 32" Deck Stepped & Fluted RH cut Requires 3 blades per set for 48" and 2 blades per set for 32". <i>Use blade Bolt BRA-08246</i>	Length 418mm Hole 16mm Width 64mm Thick 6mm Step 6mm 
BR-08895 Replaces OEM GDU10230, D18086	Fits Great Dane 48" and 32" Deck Razorback Mulcher Blade RH cut Requires 3 blades per set for 48" and 2 blades per set for 32". <i>Use blade Bolt BRA-08246</i>	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 

HUSQVARNA





Part Number	Description	
BR-D18036 Replaces OEM 53910293	Fits Husqvarna 61" Deck Stepped & Fluted RH cut Requires 3 blades per set	Length 532mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18037 Replaces OEM 5391057-12, 5391003-41, AYP100341	Fits Husqvarna 52" Deck & 36" Deck Stepped & Fluted RH cut Requires 3 blades per set for 52" and 2 blades per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm 


Part Number	Description	
HUSQVARNA BR-08891 Replaces OEM 5391057-12, AYP100341	Fits Husqvarna 52" Deck & 36" Deck Mulcher Blade RH cut, Requires 3 blades per set for 52" and 2 blades per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08956 Replaces OEM 539 11 34-25	Fits Husqvarna 48" Fabricated Decks YTH2648TDF, ZTR & EZ4824 MODELS Flat & Fluted RH cut Requires 3 blades per set.	Length 413mm Hole 5PT Star Width 64mm Thick 5mm Step N/A 
BR-08407 Replaces OEM 539 10 60-40, AYP100340	Fits Husqvarna 48" Decks IZ4821 & ZTR models Flat & Fluted RH cut Requires 3 blades per set.	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-08895 Replaces OEM 539 10 60-40, AYP100340	Fits Husqvarna 48" Decks IZ4821 & ZTR models Flat Mulch RH cut Requires 3 blades per set.	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-08224 Replaces OEM 532138498, AYP138498, 127843, AYP138971	Fits Husqvarna 42" Decks Lt125, Lt140, Lt150, LTH1342, XTH1542XP Models Flat & Fluted RH cut Requires 2 blades per set.	Length 535mm Hole 5PT Star Width 57mm Thick 4mm Step N/A 
BR-08957 Replaces OEM 5391120-78	Fits Husqvarna 42" Decks Ez4216, Ez4217, Ez4220 & Fabricated decks Flat & Fluted RH cut Requires 3 blades per set.	Length 371mm Hole 5PT Star Width 65mm Thick 5mm Step N/A 
BR-08894 Replaces OEM 539112078 5321341-48	Fits Husqvarna 38" Deck Lt19538 etc Mulch Blade RH cut Requires 2 blades per set	Length 489mm Hole 5PT Star Width 65mm Thick 5mm Step N/A 

**ALL BLADES ARE SOLD AS SINGLES
(INDIVIDUALLY) PLEASE ORDER THE
QUANTITY REQUIRED TO MAKE UP A SET.**

**OEM Reference numbers are used for identification only, we also
encourage you to check blade dimensions prior to ordering.
ASP blades are not sold as genuine.**

HUSTLER

Part Number	Description		
BR-09243K 5 BLADE KIT	Fits SUPER 104 1 x BR-08954 RH cut wing blade 1 x BR-08955 LH cut wing blade 2 x BR-08952 RH centre deck blades 1 x BR-08953 LH centre deck blades		
BR-08207 Replaces OEM 798702, 9820361	Fits 72" Deck Flat & High Fluted RH cut, Side Discharge Xr7 series, Super Z HD & 3700 series Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length Hole Width Thick Step	620mm 16mm 65mm 8mm N/A 
BR-08726 Replaces OEM 798702, 9820361	Fits 72" Deck Stepped Mulcher RH cut Xr7 series & 3700 series Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length Hole Width Thick Step	620mm 16mm 65mm 7mm 5mm  BoronBlue™ Mulcher Blades
BR-08954 Replaces OEM 796839, 794867, 784728	Fits REAR DISCHARGE 72" Deck Flat & Fluted RIGHT HAND cut (Requires 2 x BR-08954 RIGHT HAND & 1x BR-08955 LEFT HAND) Use BRA-08948 Bolt & BRA-08949 Washer	Length Hole Width Thick Step	606mm 16mm 65mm 6mm N/A 
BR-08955 Replaces OEM 796508, 601929	Fits REAR DISCHARGE 72" Deck Flat & Fluted LEFT HAND cut (Requires 2 x BR-08954 RIGHT HAND & 1x BR-08955 LEFT HAND) Use BRA-08948 Bolt & BRA-08949 Washer	Length Hole Width Thick Step	606mm 16mm 65mm 6mm N/A 
BR-08952 Replaces OEM 602771, 794685, 793794	Fits 60" Deck Side Discharge Flat & Fluted Blade RH cut Suits VX4, X-One, Fastrak, Sport etc Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length Hole Width Thick Step	520mm 16mm 65mm 6mm N/A 
BR-08910 Replaces OEM 794230, 794214	Fits 60" Deck Flat Mulcher Blade RH cut Suits VX4, X-One, Fastrak, Sport etc Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length Hole Width Thick Step	520mm 16mm 64mm 6mm N/A  BoronBlue™ Mulcher Blades
BR-08953 Replaces OEM 795633, 601928	Fits 60" REAR DISCHARGE Deck Flat & Fluted Blade LEFT HAND cut <i>Requires 2 x (BR-08952) RIGHT HAND & 1 x (BR-08953) LEFT HAND</i>	Length Hole Width Thick Step	520mm 16mm 65mm 6mm N/A 
BR-08950 Replaces OEM 797696, 797704, 601012	Fits 54" Deck Side Discharge Flat & Fluted RH cut Xr7 series, Fastrak, Sport, X-One VX4 etc Requires 3 blades per set	Length Hole Width Thick Step	470mm 16mm 65mm 6mm N/A 

Part Number	Description	
HUSTLER CONT. BR-09131 Replaces OEM	Fits 54" Deck Side Discharge - MULCH Flat & Fluted RH cut Xr7 series, Fastrak, Sport, X-One VX4 etc Requires 3 blades per set	Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08951 Replaces OEM 601013	Fits 54" REAR DISCHARGE Deck Flat & Fluted Blade LEFT HAND cut Requires 2 x (BR-08950) RIGHT HAND & 1 x (BR-08951) LEFT HAND	Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-D18037 Replaces OEM 783753, 785436	Fits 52" Deck Stepped & Fluted RH cut Fastrak, Mini Z etc Requires 3 blades per set	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm 
BR-08891 Replaces OEM 783753, 785436	Fits 52" Deck Flat Mulcher RH cut Fastrak, Mini Z etc Requires 3 blades per set	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08407 Replaces OEM 601123, 797757	Fits 48" Deck Flat & High Fluted Blade RH cut Suits Vx4, X-One, Fastrak, Super Duty etc Requires 3 blades per set	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-08895 Replaces OEM 796623, 796631	Fits 48" Deck Flat Mulcher Blade RH cut Suits Vx4, X-One, Fastrak, Super Duty etc Requires 3 blades per set	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-08952 Replaces OEM	Fits 42" Deck Flat & Fluted Blade R/H cut Suits Fastrak, Raptor & Zeon series Requires 2 blades	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08910 Replaces OEM	Fits 42" Deck Flat Mulcher Blade R/H cut Suits Fastrak, Raptor & Zeon series Requires 2 blades	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A 



ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY)
PLEASE ORDER THE QUANTITY REQUIRED TO MAKE
UP A SET.

OEM Reference numbers are used for identification only, we
also encourage you to check blade dimensions prior to
ordering.

ASP blades are not sold as genuine.

ISEKI Part Number Description			
BR-07162A Replaces OEM 3496107M91, 3495550M4	Fits 72" Deck Stepped & Fluted RH cut Sf300 Series etc Requires 3 blades per set Use BRA-83665A washer & BRA-100293 Nut	Length 628mm Hole 20mm Width 60mm Thick 7mm Step 15mm	
	BR-0525A Replaces OEM 797696, 797704, 601012 Requires 3 blades per set Use BRA-83665A washer & BRA-100293 Nut	Length 527mm Hole 20mm Width 60mm Thick 7mm Step 15mm	
	BB-08040 Replaces OEM 865520201301 BELT to suit 72" Deck Suits SF300 & SF340		
JOHN DEERE Part Number Description			
BR-07473 Replaces OEM M119565, M80783, AM102401	Fits John Deere 72" Deck 1145 Flat & Fluted Blade Requires 3 per set <i>Use Bolt BRA-100195, Use Tension Washer BRA-83665.</i>	Length 632mm Hole 23mm Width 65mm Thick 8mm Step N/A	
	BR-07473S Replaces OEM M141786, M141669, M83363, EPC201693 Fits John Deere 72" Deck 1445, 1545, 1565, 1585, 777, 797, 4200, 4500 series, 997 Diesel & Terrain, Stepped and Fluted. Requires 3 per set. <i>Use Bolt BRA-100195SH, Use Tension Washer BRA-83665.</i>	Length 630mm Hole 23mm Width 60mm Thick 8mm Step 10mm	
	BR-08772 Replaces OEM TCU15882, M141669, M143749 Fits John Deere 72" Deck 1435, 1565, 1585, Z830A, 997, 1445, Z950A, Z970A, Z960A Stepped, High Lift Blade Requires 3 Per Set. <i>Use Bolt BRA-100195SH, Use Tension Washer BRA-83665.</i>	Length 630mm Hole 23mm Width 75mm Thick 7mm Step 12mm	
BR-08466 Replaces OEM M142514	Fits John Deere 72" Decks Stepped Mulcher Blade Requires 3 Per Set. <i>Use Bolt BRA-100195SH, Use Tension Washer BRA-83665.</i>	Length 634mm Hole 23mm Width 65mm Thick 8mm Step 7mm	
BR-09019 Replaces OEM M141786, M141669, M83363, EPC201693	Mulcher style to Fit side discharge 72" decks on 1445, 1545, 1565, 1585, 777, 797, 4200, 4500 series, 997 Diesel & Terrain Requires 3 per set. <i>Use Bolt BRA-100195SH, Use Tension Washer BRA-83665.</i>	Length 630mm Hole 23mm Width 65mm Thick 8mm Step 10mm	 BoronBlue™ Mulcher Blades

Part Number	Description	
JOHN DEERE BR-08560 Replaces OEM TCU51118, M144297	Fits 62" Deck , 7 Iron Deck & 1600 Wide area mower, 1400-1500 Series & Terrain. Stepped and Fluted Blade. <i>Use Bolt BRA-100195SH,</i> <i>Use Tension Washer BRA-83665.</i>	Length 555mm Hole 23mm Width 65mm Thick 8mm Step 8mm 
BR-08095 Replaces OEM M143504	Fits 62" Deck Stepped & Fluted 62D Lx280, LX289, GT245, GT235E, GT235, GT225, GX255, GX325, Gx335, GX355, 465, 475, 485, 495, 575, 585, 595, 700, 724, 728, 740, 748, X700 Requires 3 per set	Length 546mm Hole 20mm Width 65mm Thick 6mm Step 6mm 
BR-06253 Replaces OEM M141785, M87622	Fit's John Deere 60" Deck F1145 Flat & Fluted Blade Requires 3 blades per Set	Length 521mm Hole 23mm Width 65mm Thick 8mm Step N/A 
BR-128485 Replaces OEM TCU15881, M128485, M133381	Fits 60" Deck - Stepped & Fluted Z950A, M665, F620, F680, F687, 737, 757, 777, 797 Diesel, 1420, 1435, 1445, 1545, X700, 1565, 4210, 4310, 4410, Z830A, Z720A, Z960A, Z830, 840, 850, Z860, Z930, Z997, Z994R ZTRAC & Terrain - Requires 3 blades per set	Length 531mm Hole 23mm Width 65mm Thick 8mm Step 10mm 
BR-128485M Replaces OEM TCU15881, M128485, M133381	Fits 60" Deck - MULCH Stepped & Fluted Z950A, M665, F620, F680, F687, 737, 757, 777, 797 Diesel, 1420, 1435, 1445, 1545, X700, 1565, 4210, 4310, 4410, Z830A, Z720A, Z960A, Z830, 840, 850, Z860, Z930, Z997, Z994R ZTRAC & Terrain - Requires 3 blades per set	Length 531mm Hole 23mm Width 65mm Thick 8mm Step 10mm 
BR-08470 Replaces OEM M136195, TCU30316, M144652, TCU30317 M164016	Fits John Deere 54" Deck , X700, 737, Z820A, Z830A, Z920, Z710A, Z915B, Z925 Stepped & Fluted Blade Requires 3 Per Set.	Length 483mm Hole 23mm Width 65mm Thick 5mm Step 7mm 
BR-08962 Replaces OEM M143520, M145516	Fits John Deere 54" Deck , Z425, X320, Z540, X748, 737, Z820A, EZ Trac GX & X570, X580, X584, X590 Z & LX series Stepped & Fluted Blade Requires 3 Per Set.	Length 480mm Hole 20mm Width 65mm Thick 6mm Step 10mm 
BR-330365 Replaces OEM M115496, M113518	Fits John Deere 54" Deck Stepped & Fluted, Right hand cut Suits F700 series etc Requires 3 blades per set	Length 473mm Hole 21mm Width 65mm Thick 5mm Step 7mm 
BR-330405 Replaces OEM M111522, M76466	Fits John Deere 48" Deck Hi Lift Blade Right Hand cut F620, F680, F687, LX188, LX186, LX172, LX176, LX178 Requires 3 blades per set	Length 422mm Hole 21mm Width 65mm Thick 5mm Step 7mm 
BR-127500 Replaces OEM M145476, M127500	Fits John Deere 48" & 48C & ACCEL Decks Lx277, LX279, LX280, LX289, GT245, GT235E, GX325, GX335, X355, X380, 465, 475, 485, 495, 575, LT180, X700, 700, 720, 724, 728, Z425, Z445, X324, X320, X590 Requires 3 blades per set	Length 430mm Hole 21mm Width 65mm Thick 5mm Step 7mm 

Part Number	Description	
JOHN DEERE BR-08701 Replaces OEM, M136185, TCU21475, TCU14939, M136194, TCU30315	Fits John Deere 48" Deck F620, F680, Z510A, Z645, Z710A, Z810A, Z820A, Z910A, 920M, 17H17B & Zg18 Walk Behinds Stepped Hi Lift Blade Right Hand cut Requires 3 blades per set	Length 430mm Hole 23mm Width 65mm Thick 6mm Step 17mm 
BR-20249 Replaces OEM Gx20249, GX20433	Fits John Deere 42" Deck Sabre, L100, L108, L110, L111, Mulch Blade Right Hand cut Flat & Fluted Requires 2 blades per set	Length 545mm (11mm outer holes @ 95mm) Hole 17mm Width 65mm Thick 5mm Step N/A 
BR-08756 Replaces OEM Gx22151, Gy20850 Am137329	Fits John Deere 42" Deck "Starlock blade" D110, Z225, LA100, LA105, LA110, LA115, LA120, LA125, LA135, X110, X120, X300, D110, D130, S240 Sport, E100, E120, E130, Mulch & Discharge Blade Right Hand cut Requires 2 blades per set.	Length 543mm Hole 7 Pt Star Width 65mm Thick 4.5mm Step N/A 
BR-09183 Replaces OEM M170639	Fits John Deere 42" ACCEL Deck , X300, X354, X370, Z335 & Z345 Mulch & Discharge Blade Right Hand cut Requires 2 blades per set.	Length 543mm Hole 20mm Width 65mm Thick 4.5mm Step N/A 
BR-330397 Replaces OEM M83459, AM100991	Fits John Deere 38" Deck High Lift Lt150, STX38, F525 Stepped & Fluted Blade Right Hand cut Requires 2 blades per set	Length 494mm Hole 18mm Width 75mm Thick 5mm Step 5mm 
BR-330290 Replaces OEM M82408, M84472, AM100946	Fits John Deere 38" Deck Low Lift LX170, LX180, LT150, LX255, LX288, LX176, LX172, LX188 Stepped & Fluted Blade Right Hand cut Requires 2 blades per set.	Length 494mm Hole 18mm Width 65mm Thick 5mm Step 5mm 
BB-08040 Replaces OEM M112414, B144	72" John Deere Side Discharge Deck Belt F1145 Model	
BRA-83665 Replaces OEM M83665, M123522	John Deere Tension Washer 72" and 60" Decks	
BRA-100195 & BRA-100195SH	BRA-100195 Bolt suit 1145 Replaces OEM 19M7343 BRA-100195SH Bolt suit various Replaces OEM 19M7489	



KUBOTA



Part Number	Description	
BR-08826 Replaces OEM K5677-34340, 70000-25002, 76553-34330, 76550-34350	Fits Kubota 72" Deck , High Flow Deck, Stepped & High Fluted, Right hand cut RCK72-28Z(P), RCK72-27B, 30B, RC72-38, RC72-F30, RCK72P-331Z, RCK72P-F36, ZD28, ZD29, 2560, 3060, 3560, F3690, ZD331 Requires 3 blades per set	 Length 622mm Hole 29mm Width 75mm Thick 7mm Step 15mm Use BRA-K6845 Bolt & BRA-K6846 Washer
BR-07462 Replaces OEM K5677-34340, 70000-25002, 76553-34330, 76550-34350, 76539-34372, K5698-34340	Fits Kubota 72" Deck - Standard blade Stepped & Fluted, Right hand cut, RCK72RP- 1200Z, RCK72-28Z(P), RCK72-27B, 30B, RC72-38, RC72-F30, RCK72P-331Z, RCK72P- F36, ZD28, ZD29, 2560, 3060, 3560, F3690, Zd331. Requires 3 blades per set	 Length 622mm Hole 29mm Width 65mm Thick 7mm Step 14mm Use BRA-K6845 Bolt & BRA-K6846 Washer
BR-08703 Replaces OEM K5677-34340, 70000-25002, 76553-34330, 76550-34350, 76539-34372, K5677-9234	Fits Kubota 72" Deck Stepped Mulching Blade for all models with 29mm Holes Stepped & Fluted Blade RH cut Requires 3 blades per set	 Length 622mm Hole 29mm Width 65mm Thick 7mm Step 14mm Use BRA-K6845 Bolt & BRA-K6846 Washer
BR-07129 Replaces OEM 76550-34373, 70722- 34350, 70000-25007	Fits Kubota 72" Deck Stepped & Fluted, Right hand cut RCK72-25, RC72-28, RC72-29, 29A, RC72-36, 36A, RC-72F20, F24, RC72R-F36B, F2400, 3560. Requires 3 blades per set.	 Length 620mm Hole 23mm Width 60mm Thick 7mm Step 12mm
BR-09085 Replaces OEM K5975-3436	Fits Kubota 72" Deck ZD1200 series deck, ZD1221, RCK72P-1200Z Hi Lift blade Requires 3 blades per set	 Length 622mm Hole 34mm Width 75mm Thick 7mm Step 15mm Use BRA-K6845 Bolt & BRA-09118 Washer
BR-09077 Replaces OEM K5975-3436	Fits Kubota 72" Deck ZD1200 series deck ZD1221, RCK72P-1200Z Standard blade Requires 3 blades per set	 Length 622mm Hole 34mm Width 65mm Thick 7mm Step 14mm Use BRA-K6845 Bolt & BRA-09118 Washer
BR-09079 Replaces OEM	Fits Kubota 72" Deck ZD1200 series deck ZD1221, RCK72P-1200Z Mulch blade Requires 3 blades per set	 Length 622mm Hole 34mm Width 65mm Thick 7mm Step 14mm Use BRA-K6845 Bolt & BRA-09118 Washer
BR-06677 Replaces OEM K5651-34340, 76539-34330, 70000-25001, K5647-34330, 76539-34372, 76550-34350, K5645-34340	Fits Kubota 60" Decks ZD21, ZD28, ZD331, ZG327, ZG331, ZG326P, RCK60-28Z, RCK60- 29B, RCK60-30B, RCK60-F30, RCK60P-21Z, RCK60P-327Z, RCK60-F36, RC60-21B, RC60- 24B, RC60-71B, RC60-F19, RC60-FZ21, F3690 RCK60-24B, RCK60-27B. Requires 3 Blades	 Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm Use BRA-K6845 Bolt & BRA-K6846 Washer
BR-09020 Replaces OEM K5651-34340, 76539-34330, 70000-25001, K5647-34330, 76539-34372, 76550-34350	Mulch blade alternative to BR-06677 Fits Kubota 60" Decks ZD21, ZD28, ZD331, ZG327, ZG331, ZG326P, RCK60-28Z, RCK60-29B, RCK60-24B, RCK60-27B. Requires 3 Blades	 Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm Use BRA-K6845 Bolt & BRA-K6846 Washer

Part Number	Description	
KUBOTA BR-09078 Replaces OEM K5955-34360	Fits Kubota 60" Deck ZD1200 Decks Requires 3 Blades	Length 520mm Hole 34mm Width 65mm Thick 7mm Step 14mm 
BR-01588 Replaces OEM 70722-34330, 70000-25006,	Fits Kubota, 60" Deck RC60-71H, RC60-72A, 72H, 82H, 20. Flat Blade Right Hand cut Requires 3 blades per set.	Length 517mm Hole 18mm Width 50mm Thick 6mm Step N/A 
 How to Measure your Blade Length: A. Measure the blade diagonally from cutting tip to cutting tip. Width: B. Measure the width at the widest part of the blade. C. Measure the center hole. D. Measure the center to center distance between the outer holes.		
BR-06020 Replaces OEM 76543-99050, 70000-25008, 70722-34350 K5371-99040	Fits Kubota 60" Deck F2100, B7510, BX2660, F2400, BX22, BX1830, G2160, G2460G, RC60-92H, 20, F20, F24 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 517mm Hole 23mm Width 65mm Thick 6mm Step 7mm 
BR-06676 Replaces OEM 76529-34330, K5764-34342, 76539-34372, 76550-34350, K5613-34340	Fits 54" Deck Zd331, ZD321, RC54-G20, RC54-B, RC54-F19, FZ21, ZD18, G1900. Z421 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 473mm Hole 29mm Width 65mm Thick 6mm Step 10mm  Use BRA-K6845 Bolt & BRA-K6846 Washer
BR-06676-23 Replaces OEM K5351-34330, K5351-34342	Fits 54" Deck Bx2230, BX23, G2160, G2460, BX22, BX2700, RCK54-22BX, BX1800 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 475mm Hole 23mm Width 65mm Thick 6mm Step 10mm 
BR-08940 Replaces OEM K5619-34350 K5935-34360	Fits Kubota 54" Deck RCK54P-227Z etc. ZD221, ZG223, Zg227, ZD1011 etc Stepped Blade Right Hand cut Requires 3 blades per set. Use BRA-09120 Bolt & BRA-09119 Washer	Length 473mm Hole 23mm Width 65mm Thick 6mm Step 10mm 
BR-09012 Replaces OEM K5617-34330, K5617-97530	Fits Kubota 54" Deck Zg127, Z125, Z251BR, Z251KH, RCK54-23ZG, RCK54P-127ZA, Z100 series Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 473mm Hole 18mm Width 65mm Thick 6mm Step 10mm 
BR-01132 Replaces OEM 76500-34330, 70722-343374	Fits Kubota 48" Deck RC48G, RC48-62A, 62H, G20 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 420mm Hole 18mm Width 50mm Thick 5mm Step 22mm 
BR-06673 Replaces OEM 76505-34330, 70722-34374, 70000-25005, K5182-71820	Fits Kubota 48" Deck TG1860, G1800, G1900, BX2350, RC48G, RC48-62G, 62H Stepped & Fluted Blade Right Hand cut Requires 3 blades per set	Length 420mm Hole 18mm Width 50mm Thick 5mm Step 8mm 

Part Number	Description	
KUBOTA BR-08890 Replaces OEM K5576-34350	Fits Kubota 48" Deck Hi Lift ZG222, ZD221, Pro Deck, RCK48P-222Z Stepped & Hi Lift Blade Right Hand cut Requires 3 blades per set Use BRA-09120 Bolt & BRA-09119 Washer	Length 422mm Hole 23mm Width 65mm Thick 7mm Step 17mm 
BR-09115 Replaces OEM K5575-34330, K5182-71840, K5575-97530, K5579-34350	Fits Kubota 48" Deck Z100 series, T2290, Zg2048 etc RCK48-GR, RCK48-20ZG, RCK48-18BX, RCK48-222Z, RCK48P-124Z, Z231BR & KH Stepped & Fluted Blade Right Hand cut Requires 3 blades per set	Length 422mm Hole 18mm Width 65mm Thick 7mm Step 17mm 
BR-01133 Replaces OEM K5142-71820, 70712-34330	Fits Kubota 44" Deck , RC44G, RCK44LT Stepped & Fluted Blade Right Hand cut Requires 3 blades per set.	Length 385mm Hole 18mm Width 50mm Thick 5mm Step 10mm 
BR-09230 Replaces OEM K5559-3433 K5700-34375 Bolt K5112-71333 Washer	Fits Kubota 42" Deck Z122R, Z231KW, RCK42P-122Z Stepped & Fluted Blade Right Hand cut Requires 2 blades per set BRA-09238 Blade Bolt BRA-09239 Washer	Length 546mm Hole 18mm Width 65mm Thick 7mm Step 14mm 
BR-01560 Replaces OEM 70000-25010, K5112-71920	Fits Kubota 40 Deck RC40LT, T1400H, T1460, T1560, T1700H Stepped & Fluted Blade Right Hand cut Requires 2 per set.	Length 517mm Hole 18mm Width 65mm Thick 6mm Step 10mm 
BRA-K6845 & BRA-K6846	BRA-K6845 Bolt suit most Blades with 29mm hole Replaces OEM 76539-34372 BRA-K6846 Washer suit various Replaces OEM 76550-34350 & K5651-34350	
BRA-09120 & BRA-09119	BRA-09120 Bolt suit some Blades with 23mm hole Replaces OEM K5371-34372 BRA-09119 Washer suit various Replaces OEM K5371-34352	



ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY) PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP A SET.

OEM Reference numbers are used for identification only, we also encourage you to check blade dimensions prior to ordering.
ASP blades are not sold as genuine.

MASSEY FERGUSON



Part Number	Description	
BR-07162A	Fits Massey Ferguson 72" Deck Zt29, ZT33 Stepped & Fluted Blade RH cut Requires 3 per set	Length 628mm Hole 20mm Width 60mm Thick 7mm Step 15mm 
BR-0525A Replaces OEM	Fits Massey Ferguson 60" Deck ZT29, ZT33 Stepped & Fluted Blade RH cut Requires 3 per set	Length 527mm Hole 20mm Width 60mm Thick 7mm Step 15mm 
BR-08963 Replaces OEM	50" Deck. ZTR Stepped & Fluted. Right Hand cut. Requires 3 blades per set (Replaces the OEM 6 point star hole)	Length 452mm Hole Suits the 6Pt Star Width 65mm Thick 5mm Step 24mm 
BR-115227A Replaces OEM	Fits 42" Deck MF42-20SD Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. (Replaces the OEM 6 point star hole)	Length 539mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 
BR-115225A Replaces OEM	Fits 38" Deck MF38-15SD Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. (Replaces the OEM 6 point star hole)	Length 491mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 
Part Number	Description	
BR-08963 Replaces OEM 742-04053A, 942-04053B	50" Deck. 2004 on Deep Deck Stepped & Fluted. Right Hand cut. Requires 3 blades per set (Replaces the OEM 6 point star hole)	Length 452mm Hole Suits the 6Pt Star Width 65mm Thick 5mm Step 24mm 
BR-115227A Replaces OEM 742-0616, 942-0616	Fits 42" Deck Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. (Replaces the OEM 6 point star hole)	Length 539mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 
BR-115225A Replaces OEM 742-0610, 942-0610	Fits 38" Deck Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. (Replaces the OEM 6 point star hole)	Length 491mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 



MURRAY			
Part Number	Description		
BR-335764 Replaces OEM 92418E701, 95105-853, 92418-853	Fits Murray 42" Deck . Stepped Blade & Fluted Blade Right Hand cut Requires 2 per set	Length 540mm Hole 21.5mm Width 60mm Thick 5mm Step 10mm	
BR-335012 Replaces OEM 92002E701, 91871E701, 9187-853	Fits Murray 40" Deck . Stepped & Fluted Blade Right Hand cut Requires 2 per set.	Length 517mm Hole 21.5mm Width 60mm Thick 5mm Step 10mm	
BR-335030 Replaces OEM 91742E701, 91742HT	Fits Murray 38" Deck . Stepped & Fluted Blade Right Hand cut Requires 2 per set.	Length 495mm Hole 21.5mm Width 60mm Thick 5mm Step 10mm	
NEW HOLLAND			
Part Number	Description		
BR-07473	Fits New Holland 72" Deck Flat Fluted Right Hand cut Requires 3 blades per set Replaces OEM: AUB163380, 163442	Length 632mm Hole 23mm Width 65mm Thick 8mm Step N/A	
BR-09019 Replaces OEM AUB163380, 163442	Mulcher style to fits New Holland 72" Deck Stepped & Fluted Right Hand cut Requires 3 blades per set	Length 632mm Hole 23mm Width 60mm Thick 8mm Step 10mm	 BoronBlue™ Mulcher Blades
BR-07473S Replaces OEM AUB163380, 163442	Fits New Holland 72" Deck Stepped & Fluted Right Hand cut Requires 3 blades per set	Length 632mm Hole 23mm Width 60mm Thick 8mm Step 10mm	
BR-01588 Replaces OEM 162836	Fits Ford New Holland 60" Deck Flat Fluted Right Hand cut Requires 3 blades per set	Length 516mm Hole 18mm Width 50mm Thick 6mm Step N/A	
BR-01560 Replaces OEM 162122, 914, 914A	Fits New Holland 60" Deck Fm60, CM224, CM274 Stepped & Fluted RH cut Requires 3 blades per set "Early Deck"	Length 517mm Hole 18mm Width 65mm Thick 6mm Step 10mm	

Part Number	Description	
NEW HOLLAND BR-06020 Replaces OEM 162122, 914, 914A	Fits New Holland 60" Fm60, CM224, CM274 Stepped & Fluted Right Hand cut Requires 3 blades per set. "Late Deck"	Length 517mm Hole 23mm Width 65mm Thick 6mm Step 10mm 
BR-06677 Replaces OEM SBA645310330	Fits 60" deck, 230GM, TZ25DA Stepped & Fluted Right Hand cut Requires 3 blades per set	Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm 
BR-09020 Replaces OEM	Mulch blade alternative to BR-06677 Requires 3 Blades 	Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm 
Part Number	Description	
BR-08104 Replaces OEM 481709, 48112, 48113	Fits Scag 72" Deck Stepped & Fluted Blade Right Hand cut Requires 3 blades per set.	Length 624mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-08311 Replaces OEM 482879, 48111, 481708	Fits Scag 61" Deck Stepped & Fluted Blade Right Hand cut Requires 3 blades per set.	Length 536mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18037 Replaces OEM 48108, 481707, 482462	Fits Scag 52" and 36" Decks Stepped & Fluted Blade Right Hand cut Requires 3 per set for 52" and 2 per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm 
BR-08891 Replaces OEM 48108, 481707, 482462	Fits Scag 52" and 36" Decks Razorback Mulcher Blade Right Hand cut Requires 3 per set for 52" and 2 per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm  
BR-08407 Replaces OEM 48110, 48084, 481706	Fits Scag 48" and 32" Decks Stepped & Fluted Blade Right Hand cut Requires 3 per set for 48" and 2 per set for 32"	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A 

ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY) PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP A SET.

OEM Reference numbers are used for identification only, we also encourage you to check blade dimensions prior to ordering.

ASP blades are not sold as genuine.

SHIBAURA			
Part Number	Description		
BR-07129 Replaces OEM	Fits Shibaura 72" Deck Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length Hole Width Thick Step	620mm 23mm 60mm 7mm 12mm 
BR-06677 Replaces OEM SBA645310221	Fits Shibaura 60" Deck TMM60Y, ST321, ST325 Flat & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length Hole Width Thick Step	520mm 29mm 65mm 7mm 14mm 
BR-01588 Replaces OEM	Fits Shibaura 60" Deck SX24 Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length Hole Width Thick Step	518mm 18mm 50mm 6mm N/A 
BR-06676 Replaces OEM	Fits Shibaura 54" Deck SX21 Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length Hole Width Thick Step	473mm 29mm 65mm 6mm 10mm 
SUPERIOR			
Part Number	Description		
BR-07503 Replaces OEM S1611, S3690	Fits Superior 12' Trimdeck Contractor Stepped & Fluted LH cut Requires 3 per set Use BOLT KIT BRA-08067 (inc. 2 x bolts & nuts)	Length Hole Width Thick Step	791mm (14mm x 134mm outer holes) 17.5mm 75mm 8mm 20mm 
BR-07500 Replaces OEM S1631	Fits Superior 6' Outfront Stepped & Fluted Blade LH cut Requires 3 per set Use BOLT KIT BRA-08066 (inc. 2 x bolts & nuts)	Length Hole Width Thick Step	632mm (11mm x 104mm outer holes) 17mm 75mm 8mm 20mm 
BR-07502 Replaces OEM S1508	Fits Superior 5' Trim Deck Stepped & Fluted Blade LH cut Requires 3 per set. Use BOLT KIT BRA-08066 (inc. 2 x bolts & nuts)	Length Hole Width Thick Step	510mm (10mm x 104mm outer holes) 16mm 65mm 6mm 16mm 




Part Number	Description	 	
BR-08834 Replaces OEM 110-5946	Fits Toro 16' Groundsmaster 5900/5910 Stepped & Fluted Blade RH cut Requires 11 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 504mm Hole 13mm Width 65mm Thick 6mm Step 15mm	
BR-09122 Replaces OEM 110-5948	MULCH Toro 16' Groundsmaster 5900/5910 Stepped & Fluted Blade RH cut Requires 11 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 504mm Hole 13mm Width 65mm Thick 6mm Step 15mm	 BoronBlue™ Mulcher Blades
BR-09163 Replaces OEM 130-9151	Fits Toro 16' Groundsmaster NEW model 5900/5910 Stepped & Fluted Blade RH cut Requires 11 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 504mm Hole 13mm Width 65mm Thick 6mm Step 6mm	
BR-08695 Replaces OEM 92-5608, 107-0214	Fits Toro 132" & 62" Decks 4000D & 4010 Model 30410 requires 7 per set. Also 62" Rear Discharge 7200 / 7210 & 62" Recycler, requires 3 blades Use Blade Bolt BRA-08806, Washer BRA-08809	Length 550mm Hole 13mm Width 65mm Thick 6mm Step 15mm	
BR-08695NF Replaces OEM 110-6115-03	Fits Toro 132" & 62" Deck - NO FLUTE BLADE 4000D & 4010 Model 30410 requires 7 per set. Also 62" Rear Discharge 7200 / 7210 & 62" Recycler, requires 3 blades Use Blade Bolt BRA-08806, Washer BRA-08809	Length 550mm Hole 13mm Width 65mm Thick 6mm Step 15mm	
BR-09121 Replaces OEM 92-5608, 107-0214	MULCH blade Fits Toro 132" & 62" DECKS 4000D & 4010 Model 30410 requires 7 per set. Also 62" Rear Discharge 7200 / 7210 & 62" Recycler, requires 3 blades Use Blade Bolt BRA-08806, Washer BRA-08809	Length 550mm Hole 13mm Width 65mm Thick 6mm Step 15mm	 BoronBlue™ Mulcher Blades
BR-08552 Replaces OEM 106-7166, 86-0010, 63-0080, 110-6116	Fits Toro 124" & 126" Decks. 455D, 4100D, 4100. Requires 7 per set. Model 30411 - 4100D Also suits 88" Triflex Requires 5 per set. Stepped & Fluted Use Blade Bolt BRA-08806, Washer BRA-08809	Length 480mm Hole 13mm Width 65mm Thick 6mm Step 6mm	
BR-08207 Replaces OEM 105-7711, 105-7784	Fits Toro 72" Deck Z Master 74947, 74274, Z550-5970, Z550, Z558, Z589, Z597, 5000, 6000 & 7000 series 74918 & G3 with Holder. High Flow Blade RH cut requires 3 per set. Flat & Fluted. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 620mm Hole 16mm Width 64mm Thick 8mm Step N/A	
BR-08726 Replaces OEM 105-7784	Fits Toro 72" Deck Z Master Z550-5970, Z550, Z558, Z589, Z597, G3 Mulcher Blade RH cut requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 620mm Hole 16mm Width 64mm Thick 7mm Step 6mm	 BoronBlue™ Mulcher Blades

Part Number	Description	
TORO BR-08720 Replaces OEM 110-0622	Fits Toro 72" Deck Groundsmaster 7200 / 7210 Models & GM360, 30360, 30361, 30362, 30363, 30364, 30365. High Lift Heavy Duty Blade Flat, RH cut Requires 3 per set.	Length 619mm Hole 13mm Width 64mm Thick 8mm Step N/A 
BR-08727 Replaces OEM 110-0622	Fits Toro 72" Deck Groundsmaster 7200 / 7210 Models & GM360, 30360, 30361, 30362, 30363, 30364, 30365. Stepped Mulcher Blade RH cut Requires 3 per set.	Length 619mm Hole 13mm Width 64mm Thick 7mm Step 6mm 
BR-09237 Replaces OEM 140-1238 Blade 109-9220 Bolt & washer 137-9787 Hex Bush	Fits Toro 72" Deck High Flow Blade RH cut 6000 series 72968, 72947, 7000 series 72274 & 7500D series 72076 requires 3 per set. Flat & Fluted. Use Blade Bolt BRA-08806, Washer BRA-08809 & BRA-09231 Hex Bush	Length 620mm Hole 24mm Width 64mm Thick 6mm Step N/A 
BR-08515 Replaces OEM 110-0621	Fits Toro 72" Deck Groundsmaster 3280 & 3320 Side Discharge. Model 3320, 30368 Stepped & Fluted Blade RH cut. Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 618mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-06271 Replaces OEM 93-4982, 108-1958, 85-6040 121-5347, 125-9444	Fits Toro 72" Deck - Rear Discharge Groundsmaster / Z Master, Guardian Recycler, 217D, 220D, 957D, 3320, 3280 Z597 & 7200 , Gm360 Stepped & Fluted Blade RH cut 3 per set Use Bolt BRA-08806, Washer BRA-08809	Length 639mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-06271NF Replaces OEM 112-9586-03	Fits Toro 72" Deck - Rear Discharge, NO FLUTE Groundsmaster / Z Master, Guardian Recycler, 217D, 220D, 957D, 3320, 3280 Z597 & 7200 , Gm360. Stepped & Fluted Blade RH cut 3 per set Use Bolt BRA-08806, Washer BRA-08809	Length 639mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-06251 Replaces OEM 44-6250	Fits Toro 62" Deck Groundsmaster Z Master 220D, & 228D Side Discharge. Stepped & Fluted Blade RH cut requires 3 per set. Use Bolt BRA-08806, Washer BRA-08809	Length 545mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-08210 Replaces OEM 105-7715, 105-7718, 105-7716, 103-0301	Fits Toro 60" Deck 74958, 74950, 74955 Z500, 74246-Z557, G3, Z587L, Z588E, Z597 & Z593, Z528, 5000, 6000 & 7000 series 74915 & 74930, Z558 with holder. Titan ZX6050 Flat & Fluted R/H cut Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A 
BR-08910 Replaces OEM 105-7715, 105-7718, 105-7716, 103-0301, 105-7777	Fits Toro 60" Deck Mulcher Z500, 74246-Z557, G3, Z587L, Z588E, Z597 & Z593, Z528, Z558 with holder. Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A 
BR-08516 Replaces OEM 110-4701 110-4702 High 110-4703 Mulch	Fits Toro 60" Deck Groundsmaster 3280 & 3320, 7200 / 7210 Flat & Fluted Blade RH cut Requires 3 per set	Length 520mm Hole 13mm Width 63mm Thick 6mm Step 

Part Number	Description	
TORO BR-09220 Replaces OEM	Fits Toro 60" Deck Groundsmaster 3280 & 3320, 7200 / 7210 Flat & Fluted Blade RH cut Requires 3 per set	Length 520mm Hole 13mm Width 63mm Thick 6mm Step N/A  NEW BoronBlue™ Mulcher Blades
BR-09235 Replaces OEM 140-1240 Blade 109-9220 Bolt / Washer 137-9787 Hex Bush	Fits Toro 60" Deck Flat & Fluted R/H cut 3000 series 72950, 72936 6000 series 72960, 72967, 72946 7000 series 72267 Use Blade Bolt BRA-08806, Washer BRA-08809 & BRA-09231 Hex Bush. Requires 3 per set	Length 520mm Hole 24mm Width 63mm Thick 6mm Step N/A  NEW
BR-09240 Replaces OEM 140-1241 Blade 109-9220 Bolt / Washer 137-9787 Hex Bush	Fits Toro 60" Deck REAR DISCHARGE, Right Hand cut - requires 2 & 1 x BR-09241 Left hand 5000 series 72943 7500D 72028 Use Blade Bolt BRA-08806, Washer BRA-08809 & BRA-09231 Hex Bush.	Length 520mm Hole 24mm Width 63mm Thick 6mm Step N/A  NEW BoronBlue™ Mulcher Blades
BR-09241 Replaces OEM 140-1244 109-9220 Bolt / Washer 137-9787 Hex Bush	Fits 60" Deck REAR DISCHARGE Deck Flat & Fluted Blade Left Hand cut , use with 2 x BR-09240 blades BRA-08806 Blade Bolt BRA-08809 Washer & BRA-09231 Hex Bush.	Length 520mm Hole 24mm Width 65mm Thick 6mm Step N/A  NEW
BR-09242 Replaces OEM 115-9650 Blade	Fits 54" Deck Side Discharge Time Cutter & Titan, 75212, 75312TA Flat & Fluted RH cut Requires 3 blades per set	Length 475mm Hole 16mm Width 65mm Thick 5mm Step N/A  NEW
BR-562390 Replaces OEM 56-2390, 27-0990	Fits Toro 52" & 36" Groundsmaster Z153, Z149 & Walk Behinds. Flat & Fluted Blade RH cut Requires 3 per set for 52", 2 per set for 36".	Length 456mm Hole 13mm Width 65mm Thick 5mm Step N/A 
BR-09234 Replaces OEM 140-1242 Blade 137-9787 Bush 109-9220 Bolt / Washer	Fits Toro 52" Deck - 3000 & 7000, 72949 & 72266 Flat & Fluted Blade RH cut Requires 3 per set, Use Blade Bolt BRA-08806, Washer BRA-08809 & Hex Bush BRA-09231	Length 457mm Hole 24mm Width 63mm Thick 6mm Step N/A  NEW
BR-09245 Replaces OEM 140-4859 Blade 109-9220 Bolt / Washer 137-9787 Hex Bush	Fits Toro 52" Deck - 3000 & 7000, 72949 & 72266 Flat & Fluted Blade RH cut Requires 3 per set, Use Blade Bolt BRA-08806, Washer BRA-08809 & Hex Bush BRA-09231	Length 457mm Hole 24mm Width 63mm Thick 6mm Step N/A  NEW BoronBlue™ Mulcher Blades
BR-D18037 Replaces OEM 106-2174, 105-7781, 55-4210, 40-3760	Fits Toro 52" Deck - Time Cutter 74806, 74906, 74955, ZX525, Z593D 453 Model & GM117. Stepped & Fluted Blade RH cut Requires 3 per set, Use BRA-08938 Bolt & BRA-08807 washer	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm 
BR-08891 Replaces OEM 106-2174, 105-7781, 105-7779	Fits Toro 52" Deck Time Cutter 74806, ZX525, TITAN Z593D 453 Model & GM117. Mulcher Blade RH cut Requires 3 per set, Use BRA-08938 Bolt & BRA-08807 washer	Length 457mm Hole 16mm Width 63mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades

BR-08980 Replaces OEM 110-6837 115-5059	Fits Toro 50" Deck MX5050 Timecutter Z5000 SERIES 74370 Flat & Fluted Blade RH cut Requires 3 per set.	Length 445mm Hole 16mm Width 60mm Thick 6mm Step N/A 
BR-09233 Replaces OEM 140-1243 Blade 137-9787 Bush 109-9220 Bolt / Washer	Fits Toro 48" Deck 3000 series, 72952. Flat & Fluted Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809 & Hex Bush BRA-09231 BRA-09246 NEW MULCH BLADE OPTION	Length 418mm Hole 24mm Width 63mm Thick 6mm Step N/A   NEW
BR-08407 Replaces OEM 107-3192, 107-3193 107-3194, 133-2137	Fits Toro 48" Deck Titan HD 2000 series, Z master etc 74412-Z400, & 74417 Z450, G3 Z Master 689-306 Mid Mount. Flat & Fluted Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 418mm Hole 16mm Width 63mm Thick 6mm Step N/A 
BR-08895 Replaces OEM 107-3192, 107-3193 107-3194	Fits Toro 48" Deck 74412-Z400, & 74417 Z450, G3 Z Master 689-306 Mid Mount. Mulcher Blade Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 418mm Hole 16mm Width 63mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades
BR-08463 Replaces OEM 106-2247, 106-8744 131-3939-03 (High Lift)	Fits Toro 42" Deck Mx4260, Z4220 Time Cutter 74403-Z420, 74403-16-42Z, Z4200 Flat & Fluted Blade RH cut Requires 2 per set	Length 548mm Hole 16mm Width 60mm Thick 5mm Step N/A 
Part Number	VENTRAC Description	
BR-09015 Replaces OEM 79.0048	Suits Ventrac Mower Tough Cut Flat, Double edge blade LH & RH cut	Length 584mm Hole 13mm Width 65mm Thick 8mm Step N/A  NEW
Part Number	WALKER Description	
BR-08222 LH Replaces OEM 7705-2 BR-08223 RH Replaces OEM 7705-1	Fits Walker 48" Deck 08222 LEFT Hand & 08223 RIGHT Hand , Stepped & Fluted LH cut Require: 1 x BR-08223 & 1 x BR-08222 For GHS Use BRA-08239 Shear bolt & BRA-08240 nut	Length 640mm (5.5mm holes @ 76mm centres) Hole 16mm Width 60mm Thick 5mm Step 20mm  
BR-355032 LH Replaces OEM 5705-4 BR-355024 RH Replaces OEM 5705-3	Fits Walker 42" Deck 355032 LEFT Hand & 355024 RIGHT Hand . Stepped & Fluted LH cut Require 1 x BR-355032 & 1 x BR-355024 for GHS Use BRA-08239 Shear bolt & BRA-08240 nut	Length 560mm (5.5mm holes @ 76mm centres) Hole 16mm Width 60mm Thick 5mm Step 20mm  





LENGTH IS
MEASURED
TIP TO TIP



LENGTH	HOLE	STEP	WIDTH	THICK	PART NUMBER	LENGTH	HOLE	STEP	WIDTH	THICK	PART NUMBER
372	SPT STAR	0	65	5	BR-08957	520	29	14	65	7	BR-06677
385	18	10	50	5	BR-01133	520	16	0	63	7	BR-08944
						520	16	0	63	6	BR-08210
412	SPT STAR	0	65	5	BR-08956	521	23	0	65	6	BR-06253
						527	20	15	60	7	BR-0525A
						532	16	6	65	6	BR-D18036
417	16	8	65	6	BR-D18086						
418	16	0	65	6	BR-08407	533	23	10	65	8	BR-128485
418	16	0	65	7	BR-08895	535	SPT STAR	0	57	4	BR-08224
418	16	0	63	6	BR-08964	536	16	6	65	6	BR-08311
418	16	0	63	7	BR-08946	539	6PT STAR	0	70	4	BR-115227A
420	18	22	50	5	BR-01132						
422	21	7	65	5	BR-330373	543	7PT STAR	0	65	4	BR-08756
422	21	7	65	5	BR-330405	545	17	0	65	5	BR-20249
422	18	8	50	5	BR-06673	545	13	6	65	6	BR-06251
422	23	17	65	7	BR-08890	546	23	6	65	6	BR-08095
						548	16	0	60	5	BR-08463
427	18	8	65	5	BR-08282	550	13	15	65	6	BR-08695
430	21	7	65	5	BR-127500	550	13	15	65	6	BR-08695NF
430	23	17	65	6	BR-08701	555	23	8	65	8	BR-08560
433	18	0	65	5	BR-20250	560	23	20	60	6	BR-08546
452	6PT STAR	24	65	5	BR-08963	560	23	20	60	6	BR-08547
456	13	0	65	5	BR-562390	560	16	20	60	5	BR-355024
						560	16	20	60	5	BR-355032
457	16	4	65	5	BR-D18037	606	16	0	65	6	BR-08954
457	16	0	65	7	BR-08891	606	16	0	65	6	BR-08955
457		0	63			608	16	9	65	6	BR-08209
470	16	0	65	6	BR-08950	617	16	6	65	6	BR-031581
470	16	0	65	6	BR-08951	618	13	6	65	6	BR-08515
						619	13	0	63	8	BR-08720
470	23	10	65	6	BR-08940	619	13	10	65	7	BR-08727
472	29	10	65	6	BR-06676	620	16	0	65	8	BR-08207
473	21	7	65	5	BR-330365	620	16	10	65	7	BR-08726
473	23	10	65	6	BR-06676-23	620	23	12	60	7	BR-07129
480	20	10	65	6	BR-08962	622	29	15	75	7	BR-08826
480	13	6	65	6	BR-08552	622	29	14	65	7	BR-07462
483	23	7	65	5	BR-08470	622	29	14	65	7	BR-08703
487	16	15	65	5	BR-345447	624	16	6	65	6	BR-08104
489	SPT STAR	0	65	5	BR-08957	627	13	6	65	6	BR-941861
494	18	7	75	5	BR-330397	628	20	15	60	7	BR-07162A
494	18	7	65	5	BR-330290	630	16	6	65	6	BR-08217
495	21.5	10	60	5	BR-335030	630	23	10	60	8	BR-07473S
504	13	15	65	6	BR-08834	632	23	0	65	8	BR-07473
505	16	6	65	6	BR-0580D	632	17	20	75	8	BR-07500
510	16	16	65	6	BR-07502	634	23	15	75	7	BR-08772
510	16.5	16	65	6	BR-08218	634	23	7	65	8	BR-08466
517	18	0	50	6	BR-01588	638	17	20	75	8	BR-07500NF
						639	13	6	65	7	BR-06271
517	23	7	65	6	BR-06020	639	19	10	60	7	BR-03843
517	18	10	65	6	BR-01560	639	13	6	65	6	BR-06271NF
518	13	6	65	6	BR-08516						
520	16	0	65	6	BR-08952	640	16	23	60	6	BR-08222
520	16	0	65	7	BR-08910	640	16	23	60	6	BR-08223
520	16	0	65	6	BR-08953	692	20	18	75	8	BS-616722
						791	17.5	20	75	8	BR-07503

EDGER BLADES

Part Number	Description	
BM-802310	Edger blade. OEM Ref L129 Suits Little Wonder, Kawasaki, MTD, Masport, Toro etc. Blades are 250mm long, 45mm wide, 3mm thick and have a 13mm hole.	
BM-802720	Edger blade. OEM Ref ME63222G Suits Victa etc. Blades are 250mm long, 50mm wide, 3mm thick and have a 16mm hole.	
BM-09137	Edger blade. Suits Various. Blades are 300mm long, 50mm wide, 3mm thick and have a 16mm hole.	
BM-08908	Edger blade. Suits Ryobi, Shindaiwa, Stihl etc. Blades are 195mm long, 50mm wide, 3mm thick and have a 25mm hole.	
BM-08565	Edger blade to suit Atom edgers. OEM Ref 43105 One piece heavy duty BORON steel blade. 2.5mm thick steel 265mm long x 12mm hole x 45mm wide	
BM-08326	Edger blade to suit Atom edgers. OEM Ref 43105 One piece extra heavy duty BORON steel blade. 3mm thick steel, 265mm long x 12mm hole x 45mm wide	
		 
ASP-1069	Gyral Edger Disc. OEM Ref T1679 Disc's are 13" diameter, 52mm round hole with 5 radial holes. BORON steel.	



LIGHTNING TRIMMER LINE

Professional Grade trimmer line for ultimate performance & durability!

Available in 1lb, 3lb & 5lb rolls
2.4mm, 2.7mm, 3.0mm, 3.3mm & 4.0mm
Made in the USA



ROUND

BM-826	2.0mm	1lb	90mtr
BM-813	2.4mm	1lb	80mtr
BM-814	2.7mm	1lb	70mtr
BM-815	3.0mm	1lb	54mtr
BM-816	2.4mm	3lb	256mtr
BM-817	2.7mm	3lb	210mtr
BM-818	3.0mm	3lb	163mtr
BM-819	2.4mm	5lb	427mtr
BM-820	2.7mm	5lb	350mtr
BM-821	3.0mm	5lb	272mtr
BM-822	3.3mm	5lb	269mtr
BM-860	4.0mm	5lb	150mtr



DIAMOND

BM-834	2.4mm	1lb	70mtr
BM-835	2.7mm	1lb	66mtr
BM-836	3.0mm	1lb	54mtr
BM-837	2.4mm	3lb	241mtr
BM-838	2.7mm	3lb	198mtr
BM-839	3.0mm	3lb	163mtr
BM-840	2.4mm	5lb	401mtr
BM-841	2.7mm	5lb	329mtr
BM-842	3.0mm	5lb	273mtr
BM-843	3.3mm	5lb	240mtr
BM-862	4.0mm	5lb	140mtr

www.asproducts.com.au

F-ONE SERIES BUMP FEED HEADS

Made in Italy

✓ INNOVATIVE "LINE SHIELDER"

Stops the line from breaking at the eyelets, therefore preventing it from going back inside the head, assuring a continuous job without interruption.




✓ RC SYSTEM: EASY RETOOLING

Simply line up the arrow with the eyelet, then thread the line through the head, making sure that both lengths are equal on either side. Just by twisting the head the line is wound onto the spool. It's very easy, no need to take the head apart!



LINE NEVER BREAKS AT THE EYELET!



PART NUMBER	HEAD COMPLETE WITH ARBOUR
BM-08897	F-ONE HEAD WITH 8 x 1.25MLH
BM-08898	F-ONE HEAD WITH 10 x 1.25MLH
BM-08899	F-ONE HEAD WITH 8 x 1.25FLH
BM-08900	F-ONE HEAD WITH 10 x 1.00FLH
BM-08901	F-ONE HEAD WITH 10 x 1.25FLH

UNIVERSAL BUMP FEED HEADS

UNIVERSAL Speed-Feed HEADS Made in USA



Fast-Loading Trimmer Head. Professional grade to suit straight shaft Trimmers

Complete with arbours to suit most Makes & Models. Uses 2.4mm, 2.7mm & 3.0mm Round & 2.4mm & 2.7mm Square / Diamond Line

BM-08900SF



Fast-Loading Bump Heads

- Greater Head Speed
- Greater Cutting Performance
- Produces Less Noise

BM-09184 10x 1.0mm LHF

BM-09185 10 x 1.25mm LHF

BM-09186 8 x 1.25 LHM

(Fits from 2.0mm up to 3.3mm line diameter size)

LIGHTNING TRIMMER HEADS

Manual Feed Trimmer Head



BM-08091

Refer to application
list over the page
for correct arbour
size.

BM-08091 SEMI-AUTOMATIC TRIMMER HEAD.
The BM-08091 represents a new generation of manual heads. (There's no need to loosen the knob to lengthen the line). Made in Italy.
Please specify which arbour you require when ordering. (suits Straight Shaft only).



Part Number	Size
BM-102480	8 x 1.25 FEMALE LEFT HAND (COMES IN HEAD)
BM-102481	10 x 1.00 FEMALE LEFT HAND
BM-102482	10 x 1.00 FEMALE LEFT HAND - (STIHL MODELS ONLY)
BM-102483	10 x 1.25 FEMALE LEFT HAND
BM-102489	8 x 1.25 MALE LEFT HAND
BM-102490	10 x 1.25 MALE LEFT HAND

TANAKA STYLE ALLOY HEADS



TANAKA STYLE ALLOY TRIMMER HEAD.
The BM-08019 head is a universal multi fit head which mounts the same as you would a cutting blade.
2 outlets. 14mm hole.
Ref: CH-100

BM-08019



TANAKA STYLE ALLOY TRIMMER HEAD.
The BM-08027 head is a universal multi fit head which mounts the same as you would a cutting blade.
Spool type head with 4 outlets.
25mm hole.
Ref: CH-300

BM-08027

QUALITY AT COMPETITIVE PRICES!

ASP supply quality wear resistant parts at extremely competitive prices. All our products come with a 3 month Replacement Parts Warranty (refer to inside of back page for conditions) and are backed by a \$20m Product Liability Insurance.

ASP ships Australia wide with fast & reliable freight companies and pass on our excellent freight rates to you. All items are despatched from our Brisbane warehouse and stocked items leave the same day they are ordered (if order is received prior to 2pm).

Call 07 3881 3464 Fax 07 3881 3474 or email sales@asproducts.com.au

ARBOUR APPLICATION CHART

	ARBOUR SIZE		BRUSHCUTTER MAKE & MODEL	ARBOUR SIZE
CRAFTSMAN (MSAA)			HONDA	
KAWASAKI 2400, 2410	8 x 1.25mm LHF		UMK422, UMK425, UMK435	10x 1.25mm LHF
KIORITZ 206F	8 x 1.25mm LHF			
MITSUBISHI 1600, 1605, 1810	8 x 1.25mm LHF		HUSQVARNA	
636-79534C, 218151-2816	10 x 1.25mm LHF		16R, 22R, 24R	8 x 1.25mm LHM
636-795451, 795454, 796231	10 x 1.00mm LHF		24R, 25R (Prior 86)	8 x 1.25mm LHM
636-796232, 796233, 796234	10 x 1.00mm LHF		24R (After S/N 603702)	8 x 1.25mm LHF
636-796242, 636-796243	10 x 1.00mm LHF		225L, 225RI, (1995)	10 x 1.25mm LHF
79534C	10 x 1.25mm LHM			
9-89658L2, 979551C, 979552C	10 x 1.25mm LHF		JONSERED	
			BR SERIES, BR400, BR450	8 x 1.25mm LHM
ECHO - KIORITZ			LR-200, LR-220B, LR-220L,	8 x 1.25mm LHM
SRM 1400, 140DA, 190,	10 x 1.25mm LHF		LR-260B, LR-300	8 x 1.25mm LHM
200DA, 200BE	10 x 1.25mm LHF		LR-320, LR-400, LR-420,	8 x 1.25mm LHM
SRM 200DB, 200AE, 200CE, 300E	10 x 1.25mm LHF		LR-450, LR-460	8 x 1.25mm LHM
SRM 250E, 2510	10 x 1.25mm LHF		TIGER 40	8 x 1.25mm LHM
SRM 300, 300AE, 300A/E, 303E	10 x 1.25mm LHF			
SRM 302DBX, 400AE,	10 x 1.25mm LHF		KAWASAKI	
400BE, 402DE	10 x 1.25mm LHF		TT30R	10 x 1.25mm LHF
SRM 501DE, 1400, 140DA,	10 x 1.25mm LHF		TD & TG 24	8 x 1.25mm LHF
1500, 1501	10 x 1.25mm LHF			
SRM 2200, 2201, 2205, 2210	10 x 1.25mm LHF		McCULLOCH	
SRM 2300, 2301, 2400, 2410	10 x 1.25mm LHF		MAC22, MAC23	8 x 1.25mm LHM
SRM 2500, 2501, 2501S, 2502, 3000	10 x 1.25mm LHF		MAC57	10 x 1.25mm LHM
SRM 3001, 3010, 3800, 4600	10 x 1.25mm LHF		MAC100A, MAC270,	10 x 1.25mm LHF
STM3000, 3010	10 x 1.25mm LHF		MAC90A, 95A, 95 PRO	10 x 1.25mm LHF
RM 303E	10 x 1.25mm LHF		100A, EB240, PSII	10 x 1.25mm LHF
GT1100, 1100A, GT2101, 2103	10 x 1.25mm LHF		85A, 85S, 85SL, 90, 95, 95A, 99A	10 x 1.25mm LHF

	ARBOUR SIZE		BRUSHCUTTER MAKE & MODEL	ARBOUR SIZE
McCULLOCH cont			STIHL cont	
EB-IIVSL	10 x 1.25mm LHF		FS74, FS76 10 x 1.00mm LHF	10 x 1.00mm LHF
EB-280, EB-285BC,	10 x 1.25mm LHF		FS90, FS110, FS130,	10 x 1.00mm LHF
EB-285BCS, FM-3000	10 x 1.25mm LHF		4 mix models,	10 x 1.00mm LHF
PRO-SCRAPER 1, II, IIHD, IV	8 x 1.25mm LHM		FS25-4, FS65-4,	10 x 1.00mm LHF
PRO-SCRAPER EB I, II, III, IV, V	10 x 1.25mm LHF		FS81AVE, FS81AVRE,	10 x 1.00mm LHF
SM100	10 x 1.25mm LHF		FS86AVE, FS86AVRE	10 x 1.00mm LHF
TITAN 2300, 2300A/V	10 x 1.25mm LHF		FR106, FS106, FS106AVE	10 x 1.00mm LHF
TITAN 2400, 2500, 2500A/V	10 x 1.25mm LHF			
TITAN 2250, 2310, 2360,	10 x 1.25mm LHF		TANAKA	
2560av, 2565av	10 x 1.25mm LHF		AST-5000	10 x 1.25mm LHM
TITAN 3000, 3900	10 x 1.25mm LHF		AST-700, AST-7000, AST-7000S	8 x 1.25mm LHM
			BC-350, BC-400	10 x 1.25mm LHM
POULAN			LT-210, LT-210E, NC-301	10 x 1.25mm LHF
900	10 x 1.25mm LHF		SUM-301, SUM-321	8 x 1.25mm LHM
1000	10 x 1.50mm LHF		TB-220, TB-220E	8 x 1.25mm LHM
150, 200	10 x 1.25mm LHF		TBC-160	8 x 1.25mm LHF
2620, 2820	10 x 1.25mm LHF		TBC-16D, TBC-215	8 x 1.25mm LHM
			TBC-202, TBC-205, TBC-210	8 x 1.25mm LHF
RYOBI			TBC-2110, TBC-2510	8 x 1.25mm LHF
GRASS HORNET/WEED HORNET	8 x 1.25mm LHF		TBC-220, TBC-220SS,	8 x 1.25mm LHM
RGH-600	8 x 1.25mm LHF		TBC-232, TBC-233	8 x 1.25mm LHM
RSH-1100MK2	10 x 1.25mm LHM		TBC-240, TBC250,	8 x 1.25mm LHM
SCRUB HORNET RHS900,	8 x 1.25mm LHM		TBC-262, TBC-265	8 x 1.25mm LHM
RSH900HB	8 x 1.25mm LHM		TBC-301, TBC-322,	8 x 1.25mm LHM
			TBC-325 (Older Model)	8 x 1.25mm LHM
SHINDAIWA			TBC-300, TBC-321, TBC-322,	10 x 1.25mm LHM
B40, C35, C350, RC45, BP35,	10 x 1.25mm LHM		TBC-355, TBC-373	10 x 1.25mm LHM
BP45, B450	10 x 1.25mm LHM		TBC-422C, TBC-425,	10 x 1.25mm LHM
BP35, C25, 45, C25, 27, F18, F20,	8 x 1.25mm LHM		TBC-500, TBC-501	10 x 1.25mm LHM
T260, C260, T270, C270, T350	8 x 1.25mm LHM		TBC-425, TBC-4000, TBC-4500	10 x 1.25mm LHM
R20, 25, 35, T25, T250, T260	8 x 1.25mm LHM		TN-3100, TN-3300 (Brain)	10 x 1.25mm LHM
STIHL			TORO	
FS40, FS44, FS55, FS90, FS110,	10 x 1.00mm LHF		1000, 2000, 2100	10 x 1.25mm LHF
FS85, FS120, FS200	10 x 1.00mm LHF		30900, 30910, 30920	10 x 1.25mm LHF
FS50, FS50E, FS51, FS60, FS61,	8 x 1.25mm LHM		51550, 51603, 51604, 51606,	10 x 1.25mm LHF
FS65, FS80 (old), FS90 (old), FS91	8 x 1.25mm LHM		51607, 51608	10 x 1.25mm LHF
FS52AVRE, FS62AVRE, FS66AVE	10 x 1.00mm LHF		CL-700, CL-2100	10 x 1.25mm LHF
FS56AVE, FS56AVRE,	10 x 1.00mm LHF		TC SERIES	10 x 1.25mm LHF
FS66AVE, FS66AVRE	10 x 1.00mm LHF			

Litter Pickup Tools

32" (80cm) & 40" (100cm) long, rubber suction style Litter Picker.

Lightweight aluminum shaft, high impact plastic handle, rubber cups that can pick up a coin or a brick. Heavy duty, durable and lightweight.

BM-08462 80cm long
BM-08499 100cm long



33" (84cm) & 40" (100cm) long, large jaw style Litter Picker.


33" (84cm) Industrial-quality, durable, lightweight, versatile pick-up tool, made with a sturdy aluminum shaft, and high impact plastic handle. Pick up a coin or a 2 litre bottle. Widest Jaw opening on the market.

BM-08848 84cm long
BM-08849 100cm long





QUALITY STUMP GRINDER & MULCHER TEETH, AT AFFORDABLE PRICES!



ASP Mulcher & Stump Grinder Teeth are not sold as genuine. Any reference to OEM or Competitor part numbers is for reference only.

PH: 07 3881 3464 or Email : sales@asproducts.com.au

How to return goods

Parts are not sold on a trial basis and can only be returned if fully resalable, and are returned within 14 days from date of purchase. Parts returned after 14 days will incur a restocking fee. When returning goods please ensure your details are clearly marked on packaging or include your proof of purchase with the returned goods.

Shipping Discrepancies / Damages

(Incorrect parts, shortages, overage & damaged products) must be reported within 24 hours of receipt. Damages must be reported immediately. All external damages should be reported to the carrier and noted on the delivery / shipping document when signing for receipt of goods. Any damages not reported within 24 hours cannot be adjusted / credited.

Please check that the correct number of parcels have been received before signing for receipt of goods.

We stock all of our parts in a 1200m² warehouse in Clontarf QLD, and operate a fully computerised system that will ensure your orders are promptly and efficiently despatched. Orders for stocked parts will be available for despatch within 60 minutes of order acceptance by ASP, and transport arrangements from our part of Brisbane to all Australian towns, are excellent.

We normally use Star Track Express or registered Post for deliveries unless otherwise directed, please allow 2-4 days to QLD and NSW, 4-7 days to VIC, NT and SA, and 5-9 days to WA and TAS.

3 month Replacement Parts Warranty

All ASP's replacement parts carry a warranty against defects in material and workmanship for 3 months from date of purchase. This warranty is subject to normal wear and tear.

Product Liability Insurance

ASP's Public/Product Liability Insurance policy is maintained with reputable insurers to provide Public/Product indemnity of \$20 million.

Disclaimer

Any reference to Original Equipment Manufacturers, ASP competitors, and their part numbers are for reference only. All parts listed are supplied to fit machines indicated and are not sold as genuine.

IMPORTANT

The information and specifications given in this catalogue is given in good faith as being correct and an accurate guide to ordering and correct part identification. Customers are nevertheless encouraged to thoroughly check for part number correctness before ordering, by verifying sizes, and models fitted, and OEM cross references to ensure any part ordered is correct for your application. ASP reserve the right to upgrade specifications without prior notice.

© Alloy & Stainless Products Pty Ltd 2003. All rights reserved. No data, information, images etc in this catalogue may be copied, produced, stored on a retrieval system, or transmitted in any form or by any means, without the prior written consent of Alloy & Stainless Products Pty Ltd. "ASP" and "Lightning" are registered Trade Marks of Alloy & Stainless Products Pty Ltd.




PH: 07 3881 3464

FX: 07 3881 3474

WEB: www.asproducts.com.au

Email: sales@asproducts.com.au



LA PIÑA[®]

In association with our 21 year partnership with La Pina, ASP supply an array of wear resistant products that are manufactured to World Class Standards. Production of parts incorporates the latest technological advantages in Boron Steel processing. Boron steel is used to provide our customers with superior wear resistant characteristics and excellent value for money! ASP distribute our parts Australia wide and provide fast delivery coupled with great customer service.



**PO Box 3175 Clontarf DC Qld 4019,
359 MacDonnell Rd Clontarf Qld 4019**

Ph: 07 3881 3464

Email: sales@asproducts.com.au

ABN: 91 088 139 520

Any reference to Original equipment manufacturers, ASP competitors and their part numbers are for reference only. ASP parts are not sold as genuine.